

Product data sheet

Specifications



Condenser, 38kW, 95F(35C,460V/3, 60Hz

ACCD75230

Overview

Lead time Special Order - Call for Quoted Lead Times

Main

Main Input Voltage 460 V 3 phase
480 V 3 phase

General

Air Discharge Patterns Horizontal
Upflow

Air flow 16045 ft³/min (7572.4 l/s)

Inrush current 6 A

Physical

Height 32.4 in (82.4 cm)

Width 38.5 in (97.7 cm)

Depth 124.06 in (315.1 cm)

Net Weight 479.99 lb(US) (217.72 kg)

Mounting preference No preference

Mounting Mode Not rack-mountable

Length 10.34 ft (3.15 m)

Input

Minimum Circuit Amp Capacity 8 A

Input Frequency 60 Hz

Maximum Overcurrent Protection 15 A

Conformance

Product Certifications ETL

Environmental

Ambient Air Temperature for Operation -4...122 °F (-20...50 °C)

Operating altitude 0...10000 ft

Audible noise at 1 meter from surface of unit 64.5 dBA

Ordering and shipping details

GTIN 731304326656

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 35.0000000000 in (88.9 cm)

Package 1 Width 130.0000000000 in (330.2 cm)

Package 1 Length 43.0 in (109.2 cm)

Package 1 Weight 600.01 lb(US) (272.16 kg)

Contractual warranty

Warranty 1 year (parts only)

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Transparency

Well-being performance

 Reach Free Of Svhc

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)

California Proposition 65

"WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov"
