Product data sheet

Specifications



APC NetShelter Soundproof, 32U, Server Rack Enclosure, 120V, Maple [TAA]

AR4032A

Overview

Lead time	Usually Ships within 2 Weeks

Main

Product or Component Type	Rack enclosure
Main Input Voltage	100...120 V
Input Connection Type	NEMA 5-15P
output connection type	10 NEMA 5-15R
Number of rack unit	32U
Cable length	11.98 ft (3.65 m)
Number of cables	1
Provided equipment	Casters

Physical

Height	65.9 in (1675 mm)
Width	29.5 in (750 mm)
Depth	44.5 in (1130.4 mm)
Product Weight	476.2 lb(US) (216 kg)
Color	Maple
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Mounting position	Horizontal
Maximum Mounting Depth	2.72 ft (0.83 m)
minimum mounting depth	2.26 ft (0.69 m)
Rack Width	19"
Permanent permissible load	3306.9 lb(US) (1500 kg) static

Input

Input Frequency	50/60 Hz

Output

PDU Type	Basic

Conformance

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Standards	EIA-310D

Ordering and shipping details

GTIN	731304621768

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	70.35 in (178.7 cm)
Package 1 Width	32.28 in (82 cm)
Package 1 Length	47.24 in (120 cm)
Package 1 Weight	573.2 lb(US) (260 kg)

Compliance

Compliance	TAA

Contractual warranty

Warranty	2 Years

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	**789**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Not applicable, out of EU RoHS legal scope**

Use Again

Repack and remanufacture

Circularity Profile	**End of Life Information**
Take-back	**No**

Image of product / Alternate images

Alternative













