

Product data sheet

Specifications



APC Smart-UPS SRT Step-Down Transformer, 10kVA, rackmount, 4U, 2x NEMA L5-20R & 2x NEMA L14-30R outlets

SRT10KRMTF

Overview

Lead time Usually in Stock

Main

Main Input Voltage 208 V

Product or Component Type Transformer

Main Output Voltage 120 V
208 V
240 V

Output connector type Hard Wire 3-wire (2PH + G) 2
Hard Wire 4-wire (2PH+N+G) 1

Provided Equipment Mounting Hardware
Rack Mounting brackets
Safety guide
User Manual
Warranty card

Range of Product Smart-UPS Accessories

Physical

Color Black

Height 6.85 in (17.4 cm)

Width 17.01 in (43.2 cm)

Depth 29.49 in (74.9 cm)

Product Weight 220.00 lb(US) (99.79 kg)

Mounting preference Lower

Mounting Mode Rack-mounted

Mounting position Horizontal

Input

Acceptable Input Voltage 200...240 V

Max line current 60 A

Input current limits 60 A

Load Capacity 10000 VA

Input Frequency 45...65 Hz

Number of input connectors 1 Hard Wire 3-wire (2PH + G)

Output

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Maximum Total Current Draw per Phase	60 A
Number of power socket outlets	4
Number of power socket outlets	2 NEMA L5-20R 2 NEMA L14-30R

Conformance

Product Certifications	CE CSA UL Listed
------------------------	------------------------

Environmental

Ambient air temperature for operation	32...104 °F (0...40 °C)
Relative Humidity	0...95 % non-condensing
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
Storage Relative Humidity	0...95 % non-condensing
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)

Ordering and shipping details

GTIN	731304318859
------	--------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.98 in (40.6 cm)
Package 1 Width	39.37 in (100 cm)
Package 1 Length	23.62 in (60 cm)
Package 1 Weight	275.005 lb(US) (124.74 kg)

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant with Exemptions

SCIP Number

A64c500c-f72a-458b-8faa-8175a94429fe

REACH Regulation

[REACH Declaration](#)

Use Again

Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

Yes

WEEE


 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative



