

Data & Voice Inserts

CAT6A Solutions

For Shielded Cable:



Shielded Data Jack
Cat6A 10606AS



Grounded, Blank Patch Panel
24-Port 2022-24AS
48-Port 2022-48AS

For Unshielded Cable:



Compatible with Kwiktool
Cat6A 10606AK-WH
10606AK-OR



Staggered, Blank Patch Panel
24-Port 2022-24A


Shielded Cat6A Patch Cords:

- 3-ft. 600AS03-GY
- 5-ft. 600AS05-GY
- 7-ft. 600AS07-GY
- 10-ft. 600AS10-GY
- 14-ft. 600AS14-GY



Gray Only

Shielded Jacks



Cat6 10606FS
Cat5E 10605FS

KwikJacks & KwikTool



Cat6A..... 10606AK-OR,WH
Cat6 10606K-XX
Cat5E 10605K-XX
USOC (6P6C) 10600K-6-XX
USOC (8P8C) ... 10600K-8-WH
XX = AL, BK, BL, GN, GY,
IV, LA, OR, RD, WH, YL



KwikTool 3190-KT
Blade 3190-KTM

ET Jacks & Tool



Cat6 10606ET-XX
XX = BL, OR, WH
Cat5E 10605ET-XX
USOC (6P6C) ... 10600ET-6-XX
XX = AL, BK, BL, GN, GY,
IV, LA, OR, RD, WH, YL



ET-Tool 3200-ET
Blade 3200-ETM

Data Couplers

Cat6A 17159-C6A-XX
Cat6 17159-C6-XX
Cat5E 17159-C5-XX
XX = BK, WH



Basic Termination Tools



Palm Tool 3140-PTB
Ring Tool 3180-DY

Modular Wallplates and Surface Boxes

Classic Wallplates

Single Gang



Blank	10600-PB-XX
1-Port	10600-P1-XX
2-Port	10600-P2-XX
3-Port	10600-P3-XX
4-Port	10600-P4-XX
6-Port	10600-P6-XX

Satin Finish, XX = AL, BK, GY, IV, LA, WH

Double Gang



Blank	10600-DPB-XX
4-Port	10600-DP4-XX
6-Port	10600-DP6-XX
8-Port	10600-DP8-XX
12-Port	10600-DP12-XX

Satin Finish, XX = AL, IV, WH

Oversized



1-Port	10600-SP1-XX
2-Port	10600-SP2-XX
3-Port	10600-SP3-XX
4-Port	10600-SP4-XX
6-Port	10600-SP6-XX

Smooth Finish, XX = IV, WH

Blank Inserts 10600-BLA-XX
XX = AL, BK, GY, IV, WH



Decor Wallplates

Bracket



1-Port	10600-PDF1-XX
2-Port	10600-PDF2-XX
3-Port	10600-PDF3-XX
4-Port	10600-PDF4-XX
6-Port	10600-PDF6-XX

Smooth Finish, XX = AL, IV, WH

Bezels



1-Gang	10600-PD1-XX
2-Gang	10600-PD2-XX
3-Gang	10600-PD3-XX
4-Gang	10600-PD4-XX

Smooth Finish, XX = AL, IV, WH

Stainless Steel Wallplates

Single Gang



Blank	10600-PB-SS
1-Port	10600-P1-SS
2-Port	10600-P2-SS
3-Port	10600-P3-SS
4-Port	10600-P4-SS
6-Port	10600-P6-SS

Double Gang



Blank	10600-DPB-SS
4-Port	10600-DP4-SS
6-Port	10600-DP6-SS
12-Port	10600-DP12-SS

ID Window Wallplates

Flush



1-Port ...	10600-P1W-XX
2-Port ...	10600-P2W-XX
4-Port ...	10600-P4W-XX
6-Port ...	10600-P6W-XX

XX = IV, WH

Angled



1-Port	10600-P1AW-XX
2-Port	10600-P2AW-XX
4-Port	10600-P4AW-XX
8-Port DG ...	10600-DP8AW-XX

XX = IV, WH

Surface Boxes

1-Port	10600-SB1-XX
2-Port	10600-SB2-XX
<i>Satin Finish, XX = AL, GY, IV, WH</i>	
4-Port	10600-SB4-XX
6-Port	10600-SB6-XX

Satin Finish, XX = IV, WH



Taller for Shielded Jacks

1-Port	10600-SB1A-XX
2-Port	10600-SB2A-XX
4-Port	10600-SB4A-XX
6-Port	10600-SB6A-XX

Satin Finish, XX = IV, WH

Mounting Boxes

Single-Gang	630MBD-XX
Double-Gang	630DGMB-XX

*Smooth Finish, XX = IV, WH
1.89" Deep*



RJ-Style Cross-Connect Systems

Patch Panels

Traditional Style



Cat6
 24-Port, 1RU 2013-24C6E
 48-Port, 2RU 2013-48C6E
 96-Port, 4RU 2013-96C6E

Cat5E
 12-Port, 1RU 2013-12C5E
 24-Port, 1RU 2013-24C5E
 48-Port, 2RU 2013-48C5E
 96-Port, 4RU 2013-96C5E


6-Pack Style

Cat6
 24-Port, 1RU ... 2013-24C6EA
 48-Port, 2RU ... 2013-48C6EA

Cat5E
 24-Port, 1RU ... 2013-24C5EA
 48-Port, 2RU .. 2013-48C5EA



Ultra High Density



Cat6
 48-Port, 1RU 2013-48C61U

Cat5E
 48-Port, 1RU .. 2013-48C5E1U

USOC (6P6C)

Cat3
 24-Port, 1RU 2013-24C3
 48-Port, 2RU 2013-48C3



Blank Patch Panels



Low Density:
 12-Port, 1RU 2013-12MJP
 24-Port, 2RU 2013-24MJP
 48-Port, 3RU 2013-48MJP

High Density:
 24-Port, 1RU 2013-24FP
 48-Port, 2RU 2013-48FP



Ultra High Density:
 24-Port, ½ RU ... 2013-24FM05U
 48-Port, 1RU2013-48FM1U

Patch Boxes and Blocks



Patch Blocks:
 12-Port, Cat6 2013-12DC6E
 12-Port, Cat5E 2013-12DC5E

6-Port Patch Boxes:
 Cat6 2013-06C6E
 Cat5E 2013-06C5E



Rear Termination

12-Port Patch Box:
 Cat5E 2013-12F-B



Front Termination

High-Density Patch Cords

Unbooted



	Cat5E	Cat6
3-ft	350C03-XX	600C03-XX
5-ft	350C05-XX	600C05-XX
7-ft	350C07-XX	600C07-XX
10-ft	350C10-XX	600C10-XX
14-ft	350C14-XX	600C14-XX
25-ft	350C25-XX	600C25-XX

Color = BK, BL, GN, GY, OR, PR, RD, YL

	Cat5E	Cat6
3-ft	350E03-XX	600E03-XX
5-ft	350E05-XX	600E05-XX
7-ft	350E07-XX	600E07-XX
10-ft	350E10-XX	600E10-XX
14-ft	350E14-XX	600E14-XX
25-ft	350E25-XX	600E25-XX

Color = BK, BL, GN, GY, OR, PR, RD, YL

Slim-booted



110-Style Cross-Connect Systems

Wall-Mount Termination Kits

Cat6: (Compatible Only w/ Dynacom Products)

- 48-Pair 610B-48FT
- 96-Pair 610B-96FT
- 288-Pair 610B-288FT



Cat5E:


- 50-Pair 110X-X50FT
- 100-Pair 110X-X100FT
- 300-Pair 110X-X300FT

XX =Clip: AA=5-Pair, BB=4-Pair, CC=3-Pair

Wiring Blocks & Troughs

Cat6 with Legs: (Compatible Only w/ Dynacom Products)

- 48-Pair 610AWB-48
- 96-Pair 610AWB-96
- 288-Pair 610AWB-288



Cat5E with Legs:

- 50-Pair 110AWB-50
- 100-Pair 110AWB-100
- 300-Pair 110AWB-300

Cat6 without Legs: (Compatible Only w/ Dynacom Products)

- 48-Pair 610WB-48
- 96-Pair 610WB-96
- 288-Pair 610WB-288



Cat5E without Legs:

- 50-Pair 110WB-50
- 100-Pair 110WB-100
- 300-Pair 110WB-300



Cable Troughs:

- With Legs 110A2
- Without Legs 110B1

Components

Clips:


- Cat6, 4-Pair 610C-4
Compatible Only w/ Dynacom Products



- Cat5E, 3-Pair 110C-3
- Cat5E, 4-Pair 110C-4
- Cat5E, 5-Pair 110C-5

Patch Cord Connectors:

- Cat6, 4-Pair 610PCC-4
Compatible Only w/ Dynacom Products
- Cat5E, 4-Pair 110PCC-4
- Cat5E, 3-Pair 110PCC-3
- Cat5E, 2-Pair 110PCC-2
- Cat5E, 1-Pair 110PCC-1



Labels and Holders:

- Labels (6 pcs.) 110PS
- Holders (6 pcs.) 110PH

Termination Tools

- Impact Handle 788JS



Heads:

- 610-Style (Cat6) 788JH1-6*
- 110-Style (5 pair) 788JH1-5
- 110-Style (4 pair) 788JH1-4

**Compatible Only w/ Dynacom Products*

Rack-Mount Termination Kits

Cat6: (Compatible Only w/ Dynacom Products)

- 96-Pair 610RM-96FT
- 192-Pair 610RM-192FT
- 288-Pair 610RM-288FT



Cat5E:

- 100-Pair 110RM-100-X
- 200-Pair 110RM-200-X
- 300-Pair 110RM-300-X

X =Clip: A=5-Pair, B=4-Pair, C=3-Pair

Cable Trough

- Panel 2016-WMPB1



Tower-Mount Termination Kits

Cat6: (Compatible Only w/ Dynacom Products)

- 288-Pair 610WMT-288FT
- 576-Pair 610WMT-576FT
- 864-Pair 610WMT-864FT




Cat5E:

- 300-Pair 110WMT-300-X
- 600-Pair 110WMT-600-X
- 900-Pair 110WMT-900-X

X =Clip: A=5-Pair, B=4-Pair, C=3-Pair

66-Style Cross-Connect Systems


50-Pair Wiring Blocks



Bare Block **66M1-50**
w/clear hinged cover, Cat5E Rated

Hinged Cover **66M1C-XX**
Color = BL, CL, OR, WH

w/ 25-Pair Telco Connectors:
One Female **66B1F**
Two Female **66B2F**
One Male **66B1M**
Two Male **66B2M**



w/ USOC Voice Jacks:
Six 8P8C **66BM06-4**
Eight 6P6C **66BM08-3**
Twelve 6P4C **66BM12-2**

w/ USOC Voice Plugs:
Six 8P8C Plugs,
7ft. cords **66DS2-7**




Accessories

Stainless Steel
Bridging Clips **66BC-SS**
100 ct., For Voice Only



B-Bracket **89B**
D-Bracket **89D**



Spools:
without screw **20A**
with screw **20B**
Plastic, Split D-Ring **30A**

Backboards



Metal Back:

Full (2x4) **183BXM**
Half (2x2) **183AXM**
Quarter (1x2) **183CXM**

Wood Back:

Full (2x4) **183BXW**
Half (2x2) **183AXW**
Quarter (1x2) **183CXW**

X = Color: 1-BL, 2-GN, 3-RD, 4-PR, 5-YL, 6-OR, 8-WH

Mushroom Boards

Metal Back:

Full (2x8) **187B1M**
Half (2x4) **187A1M**
Half (1x8) **187C1M**
Quarter (1x4) **198A1M**

Wood Back:

Full (2x8) **187B1W**
Half (2x4) **187A1W**
Half (1x8) **187C1W**
Quarter (1x4) **198A1W**



White Only

Tools



Hi-Lo Impact
Tool Handle ... **3140-DYA**
Bit Not Included

Bits:
66-Style **3140-14**
110-Style **3140-14B**




Fiber Optic Cross-Connect Systems

Cabinets, Trays, & Panels



Wall Mount Cabinet:
2-Panel 900-FWM-2
Includes Lock



Rack Mount Slide Tray:
3-Panel 900-FRM-3



Ceramic Sleeved Adapter Panels:
6-Port ST 920A-ST-6
6-Port SC 920A-SC-6
6-Port LC2 920A-LC2-6
6-Port LC2 Aqua 920A-LC2-6-AQ
Blank 920-BLA

Modular Couplers

Ceramic Sleeved:
(Single or Multi-Mode):
ST 10600-ST-SM-XX
SC 10600-SC-SM-XX
LC 10600-LC-SM-XX
XX = IV, WH



Bronze Sleeved:
(Multi-Mode only):
ST 10600-ST-MM-XX
SC 10600-SC-MM-XX
LC 10600-LC-MM-XX
XX = IV, WH



OM3 Jumpers:
LC-LC Duplex .. 910B-LCLC3D-XX
LC-SC Duplex .. 910B-LCSC3D-XX
SC-SC Duplex .. 910B-SCSC3D-XX
XX = Meters: 01, 03, 05, 10, 20, 30

Armored OM3 Jumpers:
LC-LC Duplex .. 910BA-LCLC3D-XX
LC-SC Duplex .. 910BA-LCSC3D-XX
SC-SC Duplex .. 910BA-SCSC3D-XX
XX = Meters: 10, 20, 30, 50
Multi-strand and Custom Lengths Available

Rack Accessories, Brackets, & Hardware

Wall Mount Brackets



6" Deep

Horizontal:
1RU 2016-WB175
2RU 2016-WB350
3RU 2016-WB525
4RU 2016-WB700
6RU 2016-WB1050

Vertical:
1RU 2016-WBV175
2RU 2016-WBV350



Rack Accessories

Single-Sided Shelves:
14" Solid 1900-CS
14" Vented 1900-CSV
2RU, 50-lb. Capacity



Double-Sided Shelves:
20" Solid 1900-DSS
20" Vented 1900-DSSV
2RU, 75-lb. Capacity



2-Piece



D-Ring Panels:
1RU 2016-WMP1C
2RU 2016-WMP2C

Blank Panels:
1RU 2016-BP175
2RU 2016-BP350
3RU 2016-BP525



Hardware



Screws (100 ct.):
#12-24 2016HW1224
#10-32 2016HW1032



J-Hooks:
1-5/16" 40A-21
2" 40A-32
4" 40A-64



Finger Duct Panels:
1RU, Sgl-Sided 2016-FD1
1RU, Dbl-Sided 2016-FD2
2RU, Sgl-Sided 2016-FD3
2RU, Dbl-Sided 2016-FD4

Voice Termination

Flush Jacks



Screw Termination:


- 6P4C Single 10630S-4-XX
 - 6P6C Single 10630S-6-XX
 - 6P4C Double 20630S-4-XX
 - 6P6C Double 20630S-6-XX
- XX = IV, WH

Punchdown Termination:

- 6P4C Single 110630-4-XX
 - 6P6C Single 110630-6-XX
 - 6P4C Double 110630D-4-XX
 - 6P6C Double 110630D-6-XX
- XX = IV, WH



Surface Jacks




Screw Termination:

- 6P4C 13625-4-XX
 - 6P6C 13625-6-XX
- XX = IV, WH

Punchdown Termination:

- 6P4C 110625-4-XX
 - 6P6C 110625-6-XX
- XX = IV, WH



Wallphone Wallplates



Stainless Steel

- 6P4C 26630AD-4
- 6P6C 26630AD-6

Plastic

- 6P4C .. 26630AC-4-IV
 - 6P6C .. 26630AC-6-IV
- Ivory Only



Stainless Steel

- f/ VoIP 10600-AD



Integrated Wallplates



6P6C Voice + Cat5E Data:

- w/o Video 10600MMA-WH
 - w/ 1G Video 10600MMB-WH
- Satin Finish, White Only

1-GHz Video Wallplates:

- w/o Voice 10630-FS-XX
 - w/ 6P4C Voice 110630F-4-XX
- Smooth Finish, XX = IV, WH



Plugs & Tools

For Solid or Stranded Wire:

- 6P4C 400PR-46SO
- 6P6C 400PR-66SO
- 8P8C Shielded 400PRS-88SO



For Flat Line Cord:

- 4P4C Handset 400P-44
- 6P4C 400P-46
- 6P6C 400P-66



For Data:

- Cat6 400PR-C6
- Cat5E 400PR-C5E
- Cat5E Shielded 400PRS-C5E
- Cat6 Shielded.... 400PRS-C6AS
- Cat6A Shielded-Ind... 400PRS-C6ASI



Line Cord

- Stripper/Crimper 6800-CR
- 6 & 8 Conductor Only

Couplers & Tees



Tees:

- 6P4C 16267-44
- 6P6C 16267-66

Rollover Couplers:

- 6P4C 17159-4
- 6P6C 17159-6



Residential & Audio/Video

Residential Cabinets



14" Cabinet:
 Door 800-F14-D
 Back 800-F14-B



28" Cabinet:
 Door 800-F28-D
 Back 800-F28-B



9" MDU Cabinets:
 850-P9-5E Cat5E
 850-P9-6 Cat6

Both populated with Data and Video Boards

Mini - MDU Cabinets:
 860-PA-5E Cat5E
 860-PA-6 Cat6
 Both populated with Data, Voice and Video Boards



Modular Components



Data Cross-Connects:
 Cat6, 8-Port 800-F306-8
 Cat5E, 8-Port 800-F305E-8

Voice Hubs:

Master, 8-Drop 800-F401-8
 Expansion, 8-Drop 800-F402-8



Passive Video Hubs:
 1-GHz Splitter 800-F201-X
 2-GHz Splitter 800-F202-X
 X = Output Ports: 4, 8

Passive Audio Hub:

2-Channel x 8-Drop .. 800-F501-8
 Accepts wire up to 16-Gauge



Universal Bracket:
 w/ Vecro Strap 800-F102

Multimedia Keystone Inserts




F-Couplers:
 1-GHz 10600-F1G-XX
 Bezel: AL, BK, IV, LA, WH
 2-GHz 10600-F2G-XX
 Bezel: IV, LA, WH
 3-GHz 10600-F3G-XX
 Bezel: WH

S-Video to 110 10600-SV110-WH
 Bezel: WH Only



Banana Jack Pair 10600-BJ-XX
 Binding Post Pair 10600-BP-XX
 Bezel: IV, WH

RCA-to-110 10600-RCA110-YY-WH
 Bezel: WH Only
 YY = Insulator: YL, BK, RD, WH



RCA Couplers 10600-RCA-YY-XX
 RCA-to-F 10600-RCAF-YY-XX
 XX = Bezel: IV, WH
 YY = Insulator: YL, RD, BL, GN, WH



BNC Coupler 10600-BNCF-XX



HDMI Coupler 10600-HDMI-XX
 XX = IV, WH

HDMI Decora Inserts

Single HDMI Coupler + 2 Ports
 10600-HDMI-1-WH
 Dual HDMI Coupler + 2 Ports
 10600-HDMI-2-WH

WH Only
 See Page 2 for Decor Walplates

