

Product data sheet

Specifications



Symmetra PX 40kW Extended Run Battery Frame

SYCFXR8

Overview

Lead time Usually in Stock

Main

Number of cables 1
Battery Type VRLA
Provided Equipment Installation guide
User Manual

Batteries & Runtime

Battery Placement Battery Cabinet
Battery blocks per string 4

Physical

Color Black
Height 81.5 in (207 cm)
Width 23.0 in (58.4 cm)
Depth 35.5 in (90.2 cm)
Net Weight 551.2 lb(US) (250 kg)

Environmental

Ambient Air Temperature for Operation 32...104 °F (0...40 °C)
Operating altitude 0...3333 ft
Relative Humidity 0...95 %
Ambient Air Temperature for Storage 5...113 °F (-15...45 °C)
Storage Relative Humidity 0...95 %

Ordering and shipping details

GTIN 731304207351

Packing Units

Unit Type of Package 1 PCE
Number of Units in Package 1 1
Package 1 Height 82.008 in (208.3 cm)

Package 1 Width	40.0000000000 in (101.6 cm)
Package 1 Length	30.0000000000 in (76.2 cm)
Package 1 Weight	601.27 lb(US) (272.73 kg)

Contractual warranty

Warranty	1 year repair or replace
-----------------	--------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)




Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Well-being performance

 Lead Free

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Image of product / Alternate images

Alternative

