

# Product data sheet

Specifications



## NetShelter SV 42U 600mm Wide x 1060mm Deep Enclosure with Sides, Black, Single Rack Unassembled

AR2400FP1

### Overview

**Presentation** Not all installation sites have space clearance required to move and install standard height enclosures. This unassembled Universal IT enclosure option for low to medium density server and networking applications is packaged for transport through narrow spaces and assembly at the installation site.

**Lead time** Usually in Stock

### Main

**Product or Component Type** Rack enclosure

**Number of rack unit** 42U

**Provided equipment** Adjustable vertical mounting rails  
Baying hardware  
Casters  
Door handle  
Doors  
Installation guide  
Key(s)  
Keyed-alike doors and side panels  
Leveling feet  
Mounting Hardware  
Pre-installed casters  
2 x Plate  
4 x Bolt down brackets  
Roof  
Side Panels  
Side Panel Lock  
Slam Latches

### Physical

**Height** 80.98 in (205.7 cm)

**Width** 23.62 in (60 cm)

**Depth** 41.73 in (106 cm)

**Product Weight** 247.4 lb(US) (112.2 kg)

**Color** Black

**Mounting preference** No preference

**Mounting Mode** Not rack-mountable

**Maximum Mounting Depth** 30.60 in (77.72 cm)

**minimum mounting depth** 6.60 in (16.76 cm)

**Rack Width** 19"

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Marking</b>	14 gauge EIA mounting rail 16 gauge front door 18 gauge post 16 gauge rear door 19 gauge roof 18 gauge side panels
<b>Permanent permissible load</b>	1014 lb(US) (459.9 kg) dynamic 2205 lb(US) (1000.2 kg) static

## Conformance

<b>Standards</b>	UL 2416 UL 60950-1 EIA-310E
------------------	-----------------------------------

## Ordering and shipping details

<b>Category</b>	11309 - APC RESALE PRODUCTS
<b>GTIN</b>	731304302049
<b>Returnability</b>	No
<b>Country of origin</b>	CN

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	31.89 in (81 cm)
<b>Package 1 Width</b>	26.89 in (68.3 cm)
<b>Package 1 Length</b>	87.80 in (223 cm)
<b>Package 1 Weight</b>	486.464 lb(US) (220.656 kg)

## Contractual warranty

<b>Warranty</b>	5 year repair or replace
-----------------	--------------------------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	670
--	-----

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
-----------------------------------	--

REACH Regulation	<a href="#">REACH Declaration</a>
------------------	-----------------------------------

## Use Again

### Repack and remanufacture

Circularity Profile	<a href="#">End of Life Information</a>
---------------------	---

Take-back	Yes
-----------	-----

Image of product / Alternate images

Alternative

---















