



USB Type-C™ Adapters, Docking Stations, Hubs and Cables

Complete every connection with Tripp Lite's wide selection of USB-C™ solutions.

60 New Models!



Thunderbolt™ 3
Compatible

Introduction	2
Video Adapters	3
Video Adapter Cables	3
Docking Stations	4-5
Hubs	6
Hub/Adapters	6
Data/Charging Cables & Adapters	7
Network Adapters	8
Charging Solutions	8
Memory Card Readers	8
Drive Solutions	8

USB-C: Universal Connectivity

The USB Type-C connector (also called USB-C) has become commonplace on electronic devices we use every day, including laptops, tablets, smartphones and even desktop computers. Like previous generations of USB, USB-C connectors can transfer data and power. But they're smaller, reversible, support faster speeds and deliver more power, opening up many new applications. With USB-C, a laptop or tablet can recharge, output ultra-high-definition (UHD) video, connect old or new peripherals, and transfer files at speeds up to 10 Gbps—all through one tiny port. Tripp Lite USB-C solutions make the most of your device's USB-C ports, providing powerful functionality and convenient portability.

Quick Guide to Key Features

Power Delivery (PD)

Power delivery (PD) technology passes through up to 60W or 100W (depending on model) from a USB-C charger to a connected laptop or other device. This is especially helpful for devices with only one USB-C port.

DP Alt Mode Video Output

DisplayPort Alternate Mode (DP Alt Mode) allows a compatible device to output HD (1080p) or UHD (4K) video through a USB-C adapter, adapter cable or docking station to an external television, monitor or projector without installing special software drivers.

Audio Support

Adapters with HDMI output also deliver digital audio. Some docking stations also include a separate 3.5 mm audio output.

Thunderbolt 3

Thunderbolt is a signaling standard developed by Apple® and Intel®. Tripp Lite's USB-C solutions are compatible with Thunderbolt 3 ports.*

*Applies to devices like computers, tablets or smartphones, not separate displays.

Extra USB Ports

Adapters, docking stations and hubs with extra USB ports can connect peripherals and other devices, such as printers, external drives and smartphones.

USB 3.1 Gen 1 / Gen 2


USB 3.1 Gen 1 is equivalent to the USB 3.0 standard, supporting data transfer speeds up to 5 Gbps. USB 3.1 Gen 2 supports speeds up to 10 Gbps.

Gigabit Ethernet (GbE)

A Gigabit Ethernet port provides network connectivity when a faster connection than Wi-Fi is desired, or Wi-Fi is simply unavailable.

PERFECT FOR THE LATEST DEVICES WITH USB-C OR THUNDERBOLT 3 PORTS:

**MacBook® • MacBook Pro® • iMac® • iMac® Pro • Chromebook™ Pixel™ • HTC® U11/U12+
Samsung® Galaxy® • Nintendo® Switch® • HP® Spectre® • Dell® XPS® • Lenovo® ThinkPad®**



USB-C Video Adapters & Adapter Cables

- HD (1080p) or UHD (4K) video, with or without USB-C power delivery port
- 3-year limited warranty



USB-C

DVI

U444-06N-DVIBAM



USB-C

Power Delivery

DisplayPort

U444-06N-DP-C



USB-C

HDMI (4K)

U444-006-H



Looking for video with additional ports? See pages 4 and 5 for more options.

SPECIFICATIONS

	Model	Description	Cord	Color	Maximum Resolution	DP Alt Mode	Power Delivery
USB-C VIDEO ADAPTERS							
	U444-06N-D-C	USB-C Video Adapter, USB-C to DVI (M/F), PD	< 6 in.	White	1920x1080, 60Hz	Yes	60W
NEW	U444-06N-DB-C	USB-C Video Adapter, USB-C to DVI (M/F), PD	< 6 in.	Black	1920x1080, 60Hz	Yes	60W
	U444-06N-DP-AM	USB-C Video Adapter, USB-C to 4K DisplayPort (M/F)	< 6 in.	White	3840x2160 ⁽¹⁾ , 60Hz	Yes	No
	U444-06N-DP-C	USB-C Video Adapter, USB-C to 4K DisplayPort (M/F), PD	< 6 in.	White	3840x2160, 60Hz	Yes	60W
	U444-06N-DP4K6B	USB-C Video Adapter, USB-C to 4K DisplayPort (M/F)	< 6 in.	Black	3840x2160, 60Hz	Yes	No
NEW	U444-06N-DP4K6W	USB-C Video Adapter, USB-C to 4K DisplayPort (M/F)	< 6 in.	White	3840x2160, 60Hz	Yes	No
	U444-06N-DVI-AM	USB-C Video Adapter, USB-C to DVI (M/F)	< 6 in.	White	1920x1080, 60Hz	Yes	No
NEW	U444-06N-DVIBAM	USB-C Video Adapter, USB-C to DVI (M/F)	< 6 in.	Black	1920x1080, 60Hz	Yes	No
	U444-06N-H4-C	USB-C Video Adapter, USB-C to 4K HDMI (M/F), PD	< 6 in.	White	3840x2160, 30Hz	Yes	60W
NEW	U444-06N-H4B-C	USB-C Video Adapter, USB-C to 4K HDMI (M/F), PD	< 6 in.	Black	3840x2160, 30Hz	Yes	60W
NEW	U444-06N-H4K6WC	USB-C Video Adapter, USB-C to 4K HDMI (M/F), PD	< 6 in.	White	3840x2160, 60Hz	Yes	60W
NEW	U444-06N-H4K6BC	USB-C Video Adapter, USB-C to 4K HDMI (M/F), PD	< 6 in.	Black	3840x2160, 60Hz	Yes	60W
	U444-06N-HD	USB-C Video Adapter, USB-C to HDMI (M/F)	< 6 in.	White	2048x1152, 60Hz	No	No
	U444-06N-HD-AM	USB-C Video Adapter, USB-C to 4K HDMI (M/F)	< 6 in.	White	3840x2160, 30Hz	Yes	No
	U444-06N-HD4K6B	USB-C Video Adapter, USB-C to 4K HDMI (M/F)	< 6 in.	Black	4096x2160, 60Hz	Yes	No
NEW	U444-06N-HD4K6W	USB-C Video Adapter, USB-C to 4K HDMI (M/F)	< 6 in.	White	3840x2160, 60Hz	Yes	No
NEW	U444-06N-HDB-AM	USB-C Video Adapter, USB-C to 4K HDMI (M/F)	< 6 in.	Black	3840x2160, 30Hz	Yes	No
	U444-06N-HDV4K	USB-C Video Adapter, USB-C to 4K HDMI/DVI/VGA (M/F)	< 6 in.	White	3840x2160, 30Hz	Yes	No
NEW	U444-06N-HDV4KB	USB-C Video Adapter, USB-C to 4K HDMI/DVI/VGA (M/F)	< 6 in.	Black	3840x2160, 30Hz	Yes	No
	U444-06N-HV4K	USB-C Video Adapter, USB-C to 4K HDMI/VGA (M/F)	< 6 in.	White	3840x2160, 30Hz	Yes	No
	U444-06N-V-C	USB-C Video Adapter, USB-C to VGA (M/F), PD	< 6 in.	White	1920x1080, 60Hz	Yes	60W
NEW	U444-06N-VB-AM	USB-C Video Adapter, USB-C to VGA (M/F)	< 6 in.	Black	1920x1200, 60Hz	Yes	No
NEW	U444-06N-VB-C	USB-C Video Adapter, USB-C to VGA (M/F), PD	< 6 in.	Black	1920x1080, 60Hz	Yes	60W
	U444-06N-VGA	USB-C Video Adapter, USB-C to VGA (M/F)	< 6 in.	White	2048x1152, 60Hz	No	No
	U444-06N-VGA-AM	USB-C Video Adapter, USB-C to VGA (M/F)	< 6 in.	White	1920x1200, 60Hz	Yes	No
USB-C VIDEO ADAPTER CABLES							
	U444-003-D	USB-C Video Adapter Cable, USB-C to DVI (M/M)	3 ft.	Black	1920x1080, 60Hz	Yes	No
NEW	U444-003-DP	USB-C Video Adapter Cable, USB-C to DisplayPort (M/M)	3 ft.	Black	3840x2160, 60Hz	Yes	No
	U444-003-H	USB-C Video Adapter Cable, USB-C to 4K HDMI (M/M)	3 ft.	Black	3840x2160, 30Hz	Yes	No
	U444-003-V	USB-C Video Adapter Cable, USB-C to VGA (M/M)	3 ft.	Black	1920x1200, 60Hz	Yes	No
	U444-006-D	USB-C Video Adapter Cable, USB-C to DVI (M/M)	6 ft.	Black	1920x1080, 60Hz	Yes	No
NEW	U444-006-DP	USB-C Video Adapter Cable, USB-C to DisplayPort (M/M)	6 ft.	Black	3840x2160, 60Hz	Yes	No
	U444-006-H	USB-C Video Adapter Cable, USB-C to 4K HDMI (M/M)	6 ft.	Black	3840x2160, 30Hz	Yes	No
	U444-006-MDP	USB-C Video Adapter Cable, USB-C to Mini DisplayPort (M/M)	6 ft.	Black	3840x2160, 60Hz	Yes	No
	U444-006-V	USB-C Video Adapter Cable, USB-C to VGA (M/M)	6 ft.	Black	1920x1200, 60Hz	Yes	No
	U444-010-DP	USB-C Video Adapter Cable, USB-C to DisplayPort (M/M)	10 ft.	Black	3840x2160, 60Hz	Yes	No
	U444-016-D	USB-C Video Adapter Cable, USB-C to DVI (M/M)	16 ft.	Black	1920x1080, 60Hz	Yes	No
	U444-016-H	USB-C Video Adapter Cable, USB-C to 4K HDMI (M/M)	16 ft.	Black	3840x2160, 30Hz	Yes	No
	U444-016-V	USB-C Video Adapter Cable, USB-C to VGA (M/M)	16 ft.	Black	1920x1200, 60Hz	Yes	No


Note: HDMI connections include audio; other connections do not. (1) 3840x2600, 60Hz supported in Single-Stream Transport (SST) mode.




For more information, including complete specifications and the latest updates, go to www.trippelite.com/usb-c.

USB-C Docking Stations

- DP Alt Mode HD (1080p) or UHD (4K) video, with or without audio
- USB-A port(s) with USB 3.1 Gen 1 (5 Gbps) speeds
- Additional port types, such as Gigabit Ethernet (GbE)
- USB-C power delivery port • 3-year limited warranty





U444-06N-H4GUBC



U442-DOCK12-S

SPECIFICATIONS

Model	Description	Cord	Color	Video Type	DP Alt Mode	Maximum Resolution	GbE	PD	USB ⁽⁵⁾
USB-C DOCKING STATIONS									
U442-DOCK1	USB-C to 4K HDMI, mDP ⁽¹⁾ , VGA, USB-A, GbE, 3.5 mm Audio, Card Reader ⁽²⁾ , PD	< 6 in.	Silver	HDMI, mDP ⁽¹⁾ , VGA, DP ^(1,4) , DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	Yes	60W	3 USB-A
U442-DOCK1-B	USB-C to 4K HDMI, mDP ⁽¹⁾ , VGA, USB-A, GbE, 3.5 mm Audio, Card Reader ⁽²⁾ , PD	< 6 in.	Black	HDMI, mDP ⁽¹⁾ , VGA, DP ^(1,4) , DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	Yes	60W	3 USB-A
NEW U442-DOCK10-S	USB-C to 4K HDMI, USB-A, Micro SD Card Reader, PD	< 6 in.	Silver	HDMI, DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	No	60W	2 USB-A
NEW U442-DOCK11-S	USB-C to 4K HDMI, USB-A, Card Reader ⁽²⁾ , PD, Optional External Power ⁽³⁾	< 6 in.	Silver	HDMI, DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	Yes	60W	2 USB-A
NEW U442-DOCK12-S	USB-C to 2 x HDMI, VGA, USB-A, PD	< 6 in.	Silver	HDMI, VGA, DVI ⁽⁴⁾	Yes	1920x1200, 60Hz	No	60W	1 USB-A
NEW U442-DOCK13-S	USB-C to 4K HDMI, USB-A, USB-C, GbE, Optional External Power ⁽³⁾	< 6 in.	Silver	HDMI, DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	Yes	No	1 USB-A, 1 USB-C
NEW U442-DOCK2-S	USB-C to 4K HDMI, mDP ⁽¹⁾ , VGA, USB-A, GbE, 3.5 mm Audio, Card Reader ⁽²⁾ , PD	< 6 in.	Silver	HDMI, mDP, VGA, DP ^(1,4) , DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	Yes	60W	3 USB-A
NEW U442-DOCK3-B	USB-C to 4K HDMI, VGA, USB-A, USB-C, GbE, Card Reader ⁽²⁾ , PD	< 6 in.	Black	HDMI, VGA, DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	Yes	60W	2 USB-A, 1 USB-C
NEW U442-DOCK4-S	USB-C to 4K HDMI, DP ⁽¹⁾ , VGA, USB-A, USB-C, GbE, 3.5 mm Audio, PD, 72W External Power Supply Included	12 in.	Silver	HDMI, DP ⁽¹⁾ , VGA, mDP ^(1,4) , DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	Yes	100W	4 USB-A, 1 USB-C
U444-06N-DGU-C	USB-C to DVI, USB-A, GbE, PD	< 6 in.	White	DVI	Yes	1920x1080, 60Hz	Yes	60W	1 USB-A
U444-06N-DGUB-C	USB-C to DVI, USB-A, GbE, PD	< 6 in.	Black	DVI	Yes	1920x1080, 60Hz	Yes	60W	1 USB-A
U444-06N-DU-C	USB-C to DVI, USB-A, PD	< 6 in.	White	DVI	Yes	1920x1080, 60Hz	No	60W	1 USB-A
U444-06N-DUB-C	USB-C to DVI, USB-A, PD	< 6 in.	Black	DVI	Yes	1920x1080, 60Hz	No	60W	1 USB-A
U444-06N-H4GU-C	USB-C to 4K HDMI, USB-A, GbE, PD	< 6 in.	White	HDMI, DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	Yes	60W	1 USB-A
U444-06N-H4GUBC	USB-C to 4K HDMI, USB-A, GbE, PD	< 6 in.	Black	HDMI, DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	Yes	60W	1 USB-A
NEW U444-T6N-H4GUBC	USB-C to 4K HDMI, USB-A, GbE, PD	< 6 in.	Black	HDMI, DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	Yes	100W	1 USB-A
U444-06N-H4U-C	USB-C to 4K HDMI, USB-A, PD	< 6 in.	White	HDMI, DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	No	60W	1 USB-A
NEW U444-06N-H4UB-C	USB-C to 4K HDMI, USB-A, PD	< 6 in.	Black	HDMI, DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	No	60W	1 USB-A
NEW U444-T6N-H4UBC	USB-C to 4K HDMI, USB-A, PD	< 6 in.	Black	HDMI, DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	No	100W	1 USB-A
U444-06N-HGU-C	USB-C to HDMI, USB-A, GbE, PD	< 6 in.	White	HDMI, DVI ⁽⁴⁾	Yes	1920x1080, 60Hz	Yes	60W	1 USB-A
U444-06N-HGUB-C	USB-C to HDMI, USB-A, GbE, PD	< 6 in.	Black	HDMI, DVI ⁽⁴⁾	Yes	1920x1080, 60Hz	Yes	60W	1 USB-A
U444-06N-HU-C	USB-C to HDMI, USB-A, PD	< 6 in.	White	HDMI, DVI ⁽⁴⁾	Yes	1920x1080, 60Hz	No	60W	1 USB-A
NEW U444-06N-HV4GU	USB-C to 4K HDMI, VGA, USB-A, PD	< 6 in.	White	HDMI, VGA, DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	Yes	60W	1 USB-A
NEW U444-06N-HV4GUB	USB-C to 4K HDMI, VGA, USB-A, PD	< 6 in.	Black	HDMI, VGA, DVI ⁽⁴⁾	Yes	3840x2160, 30Hz	Yes	60W	1 USB-A
U444-06N-VGU-C	USB-C to VGA, USB-A, GbE, PD	< 6 in.	White	VGA	Yes	1920x1080, 60Hz	Yes	60W	1 USB-A
U444-06N-VGUB-C	USB-C to VGA, USB-A, GbE, PD	< 6 in.	Black	VGA	Yes	1920x1080, 60Hz	Yes	60W	1 USB-A
U444-06N-VU-C	USB-C to VGA, USB-A, PD	< 6 in.	White	VGA	Yes	1920x1080, 60Hz	No	60W	1 USB-A
NEW U444-06N-VUB-C	USB-C to VGA, USB-A, PD	< 6 in.	Black	VGA	Yes	1920x1080, 60Hz	No	60W	1 USB-A
NEW U444-T6N-VUBC	USB-C to VGA, USB-A, PD	< 6 in.	Black	VGA	Yes	1920x1200, 60Hz	No	100W	1 USB-A


Note: HDMI connections include audio; other connections do not unless specified. (1) DP=DisplayPort; mDP=Mini DisplayPort. (2) Supports MicroSD/SD/SDHC/SDXC and MMC memory cards. (3) Power inlet connects to optional 5V DC power supply. (4) Requires optional adapter, sold separately. (5) USB 3.1 Gen 1 (5 Gbps). USB-C total does not include PD port.



For more information, including complete specifications and the latest updates, go to www.trippelite.com/usb-c.

USB-C Hubs & Hub/Adapters

- Multiple USB ports with 5 or 10 Gbps speeds and device charging
- With or without Gigabit Ethernet and/or USB-C power delivery port
- 3-year limited warranty



Looking for multiple ports combined with video output?
See pages 4 and 5.

SPECIFICATIONS

Model	Description	Cord	Color	GbE	PD	USB Ports	Max Speed ⁽³⁾
USB-C HUBS							
U460-004-2A2C	4-Port Hub, USB-C to 2xUSB-C and 2xUSB-A	< 6 in.	White	No	No	2 USB-A, 2 USB-C	5 Gbps
NEW U460-T04-2A2C-1	4-Port Hub, USB-C to 2xUSB-C and 2xUSB-A, PD	< 6 in.	Black	No	100W	2 USB-A, 2 USB-C	5 Gbps
NEW U460-T04-2A2C-2	4-Port Hub, USB-C to 2xUSB-C and 2xUSB-A, PD	< 6 in.	Black	No	100W	2 USB-A, 2 USB-C	10 Gbps
U460-004-2A2CB	4-Port Hub, USB-C to 2xUSB-C and 2xUSB-A	< 6 in.	Black	No	No	2 USB-A, 2 USB-C	5 Gbps
U460-004-4A	4-Port Hub, USB-C to 4xUSB-A, Optional External Power ⁽¹⁾	< 6 in.	Silver	No	No	4 USB-A	5 Gbps
U460-004-4A-C	4-Port Hub, USB-C to 4xUSB-A, PD	< 6 in.	White	No	60W	4 USB-A	5 Gbps
NEW U460-004-4AB	4-Port Hub, USB-C to 4xUSB-A	< 6 in.	Black	No	No	4 USB-A	5 Gbps
U460-004-4AB-C	4-Port Hub, USB-C to 4xUSB-A, PD	< 6 in.	Black	No	60W	4 USB-A	5 Gbps
USB-C HUB/ADAPTERS							
U460-002-2AM-C	2-Port Hub/Adapter, USB-C to 2xUSB-A, Card Reader ⁽²⁾ , PD	< 6 in.	White	No	60W	2 USB-A	5 Gbps
U460-003-3A1G	3-Port Hub/Adapter, USB-C to 3xUSB-A, GbE	< 6 in.	Silver	Yes	No	3 USB-A	5 Gbps
NEW U460-003-3A1GB	3-Port Hub/Adapter, USB-C to 3xUSB-A, GbE	< 6 in.	Black	Yes	No	3 USB-A	5 Gbps
U460-003-3AG	3-Port Hub/Adapter, USB-C to 3xUSB-A, GbE	< 6 in.	White	Yes	No	3 USB-A	5 Gbps
U460-003-3AG-C	3-Port Hub/Adapter, USB-C to 3xUSB-A, GbE, PD	< 6 in.	White	Yes	60W	3 USB-A	5 Gbps
U460-003-3AGB-C	3-Port Hub/Adapter, USB-C to 3xUSB-A, GbE, PD	< 6 in.	Black	Yes	60W	3 USB-A	5 Gbps
U460-003-3AM	3-Port Hub/Adapter, USB-C to 3xUSB-A, Card Reader ⁽²⁾	< 6 in.	White	No	No	3 USB-A	5 Gbps
U460-003-3AMB	3-Port Hub/Adapter, USB-C to 3xUSB-A, Card Reader ⁽²⁾	< 6 in.	Black	No	No	3 USB-A	5 Gbps

(1) USB Micro-B port connects to optional power adapter. (2) MicroSD/SD/SDHC/SDXC and MMC. (3) Supports USB 3.1 Gen 1 (5 Gbps) or USB 3.1 Gen 1 (10 Gbps) data transfer speeds.



For more information, including complete specifications and the latest updates, go to www.triplite.com/usb-c.

USB-C Data/Charging Cables & Adapters

- Variety of lengths, connectors and data transfer speeds
- Most models also support charging

SPECIFICATIONS

Model	Description	Cord	Color	USB Standard (Maximum Speed)	Limited Warranty
USB-C CABLES (USB 2.0)					
U038-003	USB 2.0 Cable, USB-C to USB-A (M/M)	3 ft.	Black	USB 2.0 (480 Mbps)	Lifetime
NEW U038-003-CRA	USB 2.0 Cable, Right-Angle USB-C to USB-A (M/M)	3 ft.	Black	USB 2.0 (480 Mbps)	Lifetime
U038-006	USB 2.0 Cable, USB-C to USB-A (M/M)	6 ft.	Black	USB 2.0 (480 Mbps)	Lifetime
NEW U038-006-CRA	USB 2.0 Cable, Right-Angle USB-C to USB-A (M/M)	6 ft.	Black	USB 2.0 (480 Mbps)	Lifetime
NEW U038-C13	USB 2.0 Cable, USB-C to USB-A (M/M), USB-IF Certified, 3A Charging ⁽¹⁾	13 ft.	Black	USB 2.0 (480 Mbps)	Lifetime
U040-003-C-5A	USB 2.0 Cable, USB-C to USB-C (M/M), 5A Charging ⁽²⁾	3 ft.	Black	USB 2.0 (480 Mbps)	3 Years
U040-006	USB 2.0 Cable, USB-B to USB-C (M/M)	6 ft.	Black	USB 2.0 (480 Mbps)	Lifetime
U040-006-C	USB 2.0 Cable, USB-C to USB-C (M/M), 3A Charging ⁽¹⁾	6 ft.	Black	USB 2.0 (480 Mbps)	Lifetime
U040-006-C-5A	USB 2.0 Cable, USB-C to USB-C (M/M), 5A Charging ⁽²⁾	6 ft.	Black	USB 2.0 (480 Mbps)	3 Years
U040-006-MICRO	USB 2.0 Cable, USB-C to USB Micro-B (M/M)	6 ft.	Black	USB 2.0 (480 Mbps)	Lifetime
U040-006-MINI	USB 2.0 Cable, USB-C to USB Mini-B (M/M)	6 ft.	Black	USB 2.0 (480 Mbps)	Lifetime
NEW U040-C03-C	USB 2.0 Cable, USB-C to USB-C (M/M), USB-IF Certified, 3A Charging ⁽¹⁾	3 ft.	Black	USB 2.0 (480 Mbps)	Lifetime
NEW U040-C13-C-5A	USB 2.0 Cable, USB-C to USB-C (M/M), USB-IF Certified, 5A Charging ⁽²⁾	13 ft.	Black	USB 2.0 (480 Mbps)	3 Years
USB-C CABLES (USB 3.1)					
U420-003	USB 3.1 Gen 1 Cable, USB-C to USB-C (M/M), 3A Charging ⁽¹⁾	3 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	3 Years
NEW U420-003-5A	USB 3.1 Gen 1 Cable, USB-C to USB-C (M/M), 5A Charging ⁽²⁾	3 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	3 Years
U420-003-G2	USB 3.1 Gen 2 Cable, USB-C to USB-C (M/M), 3A Charging ⁽¹⁾	3 ft.	Black	USB 3.1 Gen 2 (10 Gbps)	3 Years
U420-003-G2-5A	USB 3.1 Gen 2 Cable, USB-C to USB-C (M/M), 5A Charging ⁽²⁾	3 ft.	Black	USB 3.1 Gen 2 (10 Gbps)	3 Years
NEW U420-006	USB 3.1 Gen 1 Cable, USB-C to USB-C (M/M), 3A Charging ⁽¹⁾	6 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	3 Years
NEW U420-006-5A	USB 3.1 Gen 1 Cable, USB-C to USB-C (M/M), 5A Charging ⁽²⁾	6 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	3 Years
NEW U420-010	USB 3.1 Gen 1 Cable, USB-C to USB-C (M/M), 3A Charging ⁽¹⁾	10 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	3 Years
NEW U420-C03-G2-5A	USB 3.1 Gen 2 Cable, USB-C to USB-C (M/M), USB-IF Certified, 5A Charging ⁽²⁾	3 ft.	Black	USB 3.1 Gen 2 (10 Gbps)	3 Years
NEW U420-C06	USB 3.1 Gen 1 Cable, USB-C to USB-C (M/M), USB-IF Certified, 3A Charging ⁽¹⁾	6 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	3 Years
U422-003	USB 3.1 Gen 1 Cable, USB-C to USB 3.0 Type-B (M/M), 3A Charging ⁽¹⁾	3 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	Lifetime
U422-003-G2	USB 3.1 Gen 2 Cable, USB-C to USB 3.0 Type-B (M/M), 3A Charging ⁽¹⁾	3 ft.	Black	USB 3.1 Gen 2 (10 Gbps)	Lifetime
NEW U422-006	USB 3.1 Gen 1 Cable, USB-C to USB 3.0 Type-B (M/M), 3A Charging ⁽¹⁾	6 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	Lifetime
U426-003	USB 3.1 Gen 1 Cable, USB-C to USB 3.0 Micro-B (M/M), 3A Charging ⁽¹⁾	3 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	Lifetime
U426-003-G2	USB 3.1 Gen 2 Cable, USB-C to USB 3.0 Micro-B (M/M), 3A Charging ⁽¹⁾	3 ft.	Black	USB 3.1 Gen 2 (10 Gbps)	Lifetime
NEW U426-006	USB 3.1 Gen 1 Cable, USB-C to USB 3.0 Micro-B (M/M), 3A Charging ⁽¹⁾	6 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	Lifetime
U428-003	USB 3.1 Gen 1 Cable, USB-C to USB-A (M/M)	3 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	Lifetime
NEW U428-003-CRA	USB 3.1 Gen 1 Cable, Right-Angle USB-C to USB-A (M/M)	3 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	Lifetime
U428-003-G2	USB 3.1 Gen 2 Cable, USB-C to USB-A (M/M)	3 ft.	Black	USB 3.1 Gen 2 (10 Gbps)	Lifetime
NEW U428-006	USB 3.1 Gen 1 Cable, USB-C to USB-A (M/M)	6 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	Lifetime
NEW U428-C03-G2	USB 3.1 Gen 2 Cable, USB-C to USB-A (M/M), USB-IF Certified, 3A Charging ⁽¹⁾	3 ft.	Black	USB 3.1 Gen 2 (10 Gbps)	Lifetime
USB-C ADAPTERS (USB 2.0)					
U040-000-MIC-F	USB 2.0 Adapter, USB-C to USB Micro-B (M/F)	None	Silver	USB 2.0 (480 Mbps)	Lifetime
U040-06N-MIC-F	USB 2.0 Adapter, USB-C to USB Micro-B (M/F)	6 in.	Black	USB 2.0 (480 Mbps)	Lifetime
USB-C ADAPTERS (USB 3.0)					
NEW U329-000	USB 3.0 Adapter, USB-A to USB-C (M/F)	None	Black	USB 3.1 Gen 1 (5 Gbps)	3 Years
USB-C ADAPTERS (USB 3.1)					
NEW U420-000-F-UD	USB 3.1 Gen 2 Adapter, USB-C to Right-Angle USB-C (M/F), 3A Charging ⁽¹⁾	None	Black	USB 3.1 Gen 2 (10 Gbps)	Lifetime
U428-000-F	USB 3.1 Gen 1 Adapter, USB-C to USB-A (M/F), 3A Charging ⁽¹⁾	None	Black	USB 3.1 Gen 1 (5 Gbps)	Lifetime
U428-06N-F	USB 3.1 Gen 1 Adapter, USB-C to USB-A (M/F), 3A Charging ⁽¹⁾	6 in.	Black	USB 3.1 Gen 1 (5 Gbps)	Lifetime
NEW U428-06N-F-CRA	USB 3.1 Gen 1 Adapter, Right-Angle USB-C to USB-A (M/F), 3A Charging ⁽¹⁾	6 in.	Black	USB 3.1 Gen 1 (5 Gbps)	Lifetime
NEW U428-C6N-F	USB 3.1 Gen 1 Adapter, USB-C to USB-A (M/F), USB-IF Certified, 3A Charging ⁽¹⁾	6 in.	Black	USB 3.1 Gen 1 (5 Gbps)	Lifetime
USB-C SERIAL ADAPTER CABLES					
U209-005-C	USB to Serial Adapter Cable, USB-C to DB9 (M/M)	5 ft.	Black	RS-232 Serial (230 Kbps)	3 Years
NEW USA-19HS-C	Keyspan® USB to Serial Adapter Cable, USB-C to DB9 (M/M)	3 ft.	Black	RS-232 Serial (230 Kbps)	3 Years

(1) Supports up to 60W (20V x 3A) power delivery (PD) charging. (2) Supports up to 100W (20V x 5A) power delivery (PD) charging.



For more information, including complete specifications and the latest updates, go to www.trippelite.com/usb-c.

USB-C Network Adapters

- Gigabit Ethernet, with or without power delivery port



USB-C Charging Solutions

- USB-C and USB-A charging ports



SPECIFICATIONS

Model	Description	Cord	Color	Speed	Limited Warranty
USB-C NETWORK ADAPTERS					
U436-06N-G-C	USB-C Network Adapter, USB-C to RJ45 (M/F), PD	< 6 in.	White	Gigabit Ethernet	3 Years
U436-06N-GB	USB-C Network Adapter, USB-C to RJ45 (M/F)	< 6 in.	Black	Gigabit Ethernet	3 Years
U436-06N-GB-C	USB-C Network Adapter, USB-C to RJ45 (M/F), PD	< 6 in.	Black	Gigabit Ethernet	3 Years
U436-06N-GBW	USB-C Network Adapter, USB-C to RJ45 (M/F)	< 6 in.	White	Gigabit Ethernet	3 Years
USB-C CHARGING SOLUTIONS					
NEW TLP648USBC	Desk-Clamp Surge Protector with USB Charging, 6 AC Outlets, 1080 Joules, 1 x USB-C (15W), 2 x USB-A (2.4A Total), UL 1363/1449	8 ft.	Gray	Not Applicable	Lifetime
U280-004-WS3C1	USB Charger, 1 x USB-C (60W), 3 x USB-A (2.4A Total), UL 60950	4 ft.	Black	Not Applicable	2 Years
NEW U280-C02-C1A1	USB Car Charger, 1 x USB-C (27W), 1 x USB-A (1A), UL 2089	None	White	Not Applicable	2 Years
NEW U280-W02-A1C1	USB Wall Charger, Portable Design with Folding Plug for Travel, 1 x USB-C (39W), 1 x USB-A (2.4A), UL 60950	None	Black	Not Applicable	2 Years
USB-C MEMORY CARD READERS					
U452-000-SD-A	USB-C and USB-A to MicroSD, SD, SDHC, SDXC, MMC	< 6 in.	White	USB 3.1 Gen 1 (5 Gbps)	3 Years
U452-003	USB-C to MicroSD/SD/SDHC/SDXC, MMC, CompactFlash (CF)	< 6 in.	Silver	USB 3.1 Gen 1 (5 Gbps)	3 Years
USB-C DRIVE SOLUTIONS					
U438-06N-G1-W	Drive Adapter, USB-C to SATA III with UASP for 2.5 in. HDD/SSD	< 6 in.	White	USB 3.1 Gen 1 (5 Gbps)	3 Years
U438-06N-G2-W	Drive Adapter, USB-C to SATA III with UASP for 2.5 in. HDD/SSD	< 6 in.	White	USB 3.1 Gen 2 (10 Gbps)	3 Years
NEW U438-CF-SATA-5G	Drive Adapter/Card Reader, USB-C to SATA III with UASP for 2.5 in. HDD/SSD, CFast 2.0 Card Reader	< 6 in.	Black	USB 3.1 Gen 1 (5 Gbps)	3 Years
U439-001	Drive Dock, USB-C to SATA III with UASP for 2.5 or 3.5 in. HDD/SSD	3 ft.	Black	USB 3.1 Gen 1 (5 Gbps)	3 Years
NEW U439-001-CG2	Drive Dock, USB-C to SATA III with UASP for 2.5 or 3.5 in. HDD/SSD	3 ft.	Black	USB 3.1 Gen 2 (10 Gbps)	3 Years
NEW U439-002-CG2	Dual-Bay Drive Dock with Cloning, USB-C to 2 x SATA III with UASP for 2.5 or 3.5 in. HDD/SSD, Standalone Drive Duplication	3 ft.	Black	USB 3.1 Gen 2 (10 Gbps)	3 Years
U457-025-CG2	Drive Enclosure, USB-C to SATA for 2.5 in. HDD/SSD	2 ft.	Black	USB 3.1 Gen 2 (10 Gbps)	3 Years
U457-025-SATAG2	Premium Drive Enclosure, USB-C to SATA for 2.5 in. HDD/SSD	2 ft.	Black	USB 3.1 Gen 2 (10 Gbps)	3 Years
U457-1M2-SATAG2	Drive Enclosure, USB-C to M.2 SATA SSD	2 ft.	Black	USB 3.1 Gen 2 (10 Gbps)	3 Years



For more information, including complete specifications and the latest updates, go to www.tripplite.com/usb-c.

Tripp Lite manufactures 4,000+ IT products.
See the full selection at www.tripplite.com.

Copyright © 2018 Tripp Lite. USB Type-C™ and USB-C™ are trademarks of USB Implementers Forum. All other trademarks are the sole property of their respective owners. Photos may differ slightly from actual products. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Go to www.tripplite.com for more information, including complete warranty terms and conditions.



1111 W. 35th Street, Chicago, IL 60609 USA
773.869.1773 • www.tripplite.com



18-03-384 95-3509