

Product datasheet

Specifications



GALAXY VM System Bypass Cabinet 640KVA 380/400/415V EL

GVMSBC640KHEL

Overview

Presentation	System bypass cabinet for use in a parallel configuration with up to a 640kVA maximum load capacity.
Lead time	Usually Ships within 2 Weeks

Main

Main Input Voltage	400 V 3 phases
Main Output Voltage	400 V 3 phases

Physical

Height	197 cm
Width	71.2 cm
Depth	85.9 cm
Net weight	328 kg
mounting location	Front
Mounting preference	No preference
mounting mode	Not rack-mountable

Input

Network frequency	50/60 Hz
--------------------------	----------

Conformance

Standards	EN/IEC 62040-1 EN/IEC 62040-2 EN/IEC 62040-3 IBC 2012 and CBC2013 to Sds=2.02g UL 1778 VFI-SS-111
product certifications	C-Tick CE RCM

Environmental

Ambient air temperature for operation	0...40 °C
Relative humidity	0...95 %
Operating altitude	0...3333 ft
Ambient air temperature for storage	-25...65 °C

Storage Relative Humidity	0...95 %
---------------------------	----------

Storage altitude	0.0000000000...14999.8 m
------------------	--------------------------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	198 cm
------------------	--------

Package 1 Width	88.9 cm
-----------------	---------

Package 1 Length	71.5 cm
------------------	---------

Package 1 Weight	350 kg
------------------	--------

Contractual warranty

Warranty	1 year on-site repair or replace with factory authorized Start-Up
----------	---

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

Energy Efficient Product

Take-Back Program Available

Well-being performance

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)

Image of product / Alternate images

Alternative

