


# Product data sheet

Specifications



## APC NetShelter SX Server Rack Gen 2, 48U, 2258H x 750W x 1070D mm, with Sides, Black [TAA]

AR3157B2

### Overview

Lead time Usually in Stock

### Main

|                           |  |
|---------------------------|--|
| Product or Component Type | Rack enclosure   |
| Number of rack unit       | 48U  |
| Provided equipment        | Baying hardware<br>Key(s)<br>Keyed-alike doors and side panels<br>Leveling feet<br>Mounting Hardware<br>Pre-installed casters<br>Side Panels |

### Physical

|                            |   |
|----------------------------|---|
| Height                     | 88.90 in (225.8 cm)   |
| Width                      | 29.53 in (75 cm)  |
| Depth                      | 42.13 in (107 cm)   |
| Net Weight                 | 354.5 lb(US) (160.8 kg)   |
| Color                      | Black   |
| Mounting preference        | No preference   |
| Mounting Mode              | Not rack-mountable  |
| Maximum Mounting Depth     | 36.02 in (91.49 cm)   |
| minimum mounting depth     | 11.26 in (28.6 cm)  |
| Rack Width                 | 19"   |
| Marking                    | 14 gauge EIA mounting rail<br>16 gauge front door<br>16 gauge post<br>18 gauge rear door<br>18 gauge roof<br>18 gauge side panels |
| Permanent permissible load | 2250 lb(US) (1020.6 kg) dynamic<br>4000 lb(US) (1814.4 kg) static   |

### Conformance

|           |                     |
|-----------|---------------------|
| Standards | UL 2416<br>EIA-310E |
|-----------|---------------------|

### Ordering and shipping details

|      |              |
|------|--------------|
| GTIN | 731304642282 |
|------|--------------|

---

|                   |    |
|-------------------|----|
| Country of origin | CN |
|-------------------|----|

## Packing Units

---

|                        |     |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

---

|                              |   |
|------------------------------|---|
| Number of Units in Package 1 | 1 |
|------------------------------|---|

---

|                  |                     |
|------------------|---------------------|
| Package 1 Height | 94.29 in (239.5 cm) |
|------------------|---------------------|

---

|                 |                    |
|-----------------|--------------------|
| Package 1 Width | 33.58 in (85.3 cm) |
|-----------------|--------------------|

---

|                  |                     |
|------------------|---------------------|
| Package 1 Length | 45.59 in (115.8 cm) |
|------------------|---------------------|

---

|                  |                           |
|------------------|---------------------------|
| Package 1 Weight | 405.85 lb(US) (184.09 kg) |
|------------------|---------------------------|

## Compliance

---

|            |                     |
|------------|---------------------|
| Compliance | TAA<br>BAA via COTS |
|------------|---------------------|

## Contractual warranty

---

|          |                          |
|----------|--------------------------|
| Warranty | 5 year repair or replace |
|----------|--------------------------|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

### Environmental footprint

|  |      |
|--|------|
| Carbon footprint (kg CO2 eq, Total Life cycle) | 1500 |
|--|------|

|                          |   |
|--------------------------|---|
| Environmental Disclosure | <a href="#">Product Environmental Profile</a> |
|--------------------------|---|

## Use Better

### Materials and Substances

|  |    |
|--|----|
| Packaging made with recycled cardboard | No |
|--|----|

|                                      |    |
|--------------------------------------|----|
| Packaging without single use plastic | No |
|--------------------------------------|----|

|                                   |  |
|-----------------------------------|--|
| <a href="#">EU RoHS Directive</a> | Pro-active compliance (Product out of EU RoHS legal scope) |
|-----------------------------------|--|

|                  |                                   |
|------------------|-----------------------------------|
| REACH Regulation | <a href="#">REACH Declaration</a> |
|------------------|-----------------------------------|

## Use Again

### Repack and remanufacture

|                     |  |
|---------------------|--|
| Circularity Profile | No need of specific recycling operations |
|---------------------|--|

|           |    |
|-----------|----|
| Take-back | No |
|-----------|----|

Technical Illustration

Dimensions

---



Image of product / Alternate images

Alternative

---

