

Product data sheet

Specifications



Cable, UPS Communications Simple Signalling (USB to RJ-45)

AP9827

Product availability: Stock - Normally stocked in distribution facility

Overview

Lead time Usually in Stock

Main

Cable length 6 ft (1.8 m)

Number of cables 1

Physical

Color Black

Product Weight 1.01 lb(US) (0.46 kg)

Mounting Location Front

Mounting Mode Not rack-mountable

Connector B USB 2.0 type A

Connector A RJ45

Output

Number of port 0

Environmental

Storage Relative Humidity 0...95 %

Storage altitude 0...50000 ft (0.0000000000...15240.0000000000 m)

Ambient air temperature for operation 32...113 °F (0...45 °C)

Relative Humidity 0...95 %

Operating altitude 0...10000 ft

Ambient Air Temperature for Storage 5...113 °F (-15...45 °C)

Ordering and shipping details

Category 80230-IG SEBA TO SEUSA

Discount Schedule BMS1

GTIN 731304202998

Returnability No

Country of origin PH

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.02 in (22.9 cm)
Package 1 Width	2.01 in (5.1 cm)
Package 1 Length	4.02 in (10.2 cm)
Package 1 Weight	1.01 lb(US) (0.46 kg)

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
SCIP Number	1cdb2fed-a06f-4574-913d-8df8e70936b2
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

 Energy efficiency	
Optimized Energy Efficiency	Energy efficient product

Use Again

 Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes
WEEE	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.