

# Product data sheet

Specifications



## Power Cord Kit (6 ea), Locking, C13 to C14, 1.8M (6ft), North America, Blue

AP8706S-NAX590

### Overview

Lead time Usually in Stock

### Main

Product or Component Type Power cord

### Physical

Color Blue

Height 9.45 in (24 cm)

Width 2.95 in (7.5 cm)

Depth 2.17 in (5.5 cm)

Product Weight 2.98 lb(US) (1.35 kg)

Mounting preference No preference

Mounting Mode Not rack-mountable

### Conformance

Product Certifications CSA  
UL Listed

### Environmental

Ambient air temperature for operation 32...221 °F (0...105 °C)

Relative Humidity 20...80 %

Operating altitude 0...10000 ft

Ambient Air Temperature for Storage -13...221 °F (-25...105 °C)

Storage Relative Humidity 20...80 %

Storage altitude 0...50000 ft (0.000000000...15240.000000000 m)

### Ordering and shipping details

GTIN 731304326403

### Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 9.45 in (24 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

<b>Package 1 Width</b>	2.17 in (5.5 cm)
<b>Package 1 Length</b>	2.95 in (7.5 cm)
<b>Package 1 Weight</b>	2.98 lb(US) (1.35 kg)

---

## **Contractual warranty**

---

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

### Energy efficiency

Optimized Energy Efficiency

Energy efficient product

## Use Again

### Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

Yes

Image of product / Alternate images

Alternative

---

