



BC-1T

Mono Audio/Control Bulk Cable



Kramer's BC-1T is a high-quality shielded pair cable designed for routing balanced mono or unbalanced stereo mic or line level audio signals in commercial or residential AV systems

FEATURES

Quality Construction - Conductors and drain wire are stranded 20AWG tinned copper

Rugged and Flexible Jacket - With sequential markings every meter

Easy Stripping - Exceptionally easy to strip because the foil shield is bonded to the inside of the jacket

Length - Available in reels of 300m (985ft)



TECHNICAL SPECIFICATIONS

CONDUCTORS	Material: Tinned Copper
	Size: 2x20AWG
	Diameter: 0.916mm
INSULATION	Material: PP
	Diameter: 1.8±0.09mm
	Average Thickness: 0.442mm
	Color: As color code
DRAIN WIRE	Size: 20AWG
	Material: Tinned Copper
SCREENING	Material: AL-foil/mylar
	Overlap: 25% min
JACKET	Material: PVC
	Diameter: 5.4 ± 0.19mm
	Color: Black
ELECTRICAL	Temperature rating: 75°C
	Insulation resistance: DC-500V 100MΩ/KM MIN. at 20°C
	Conductor resistance: 20AWG-34.6Ω/KM MAX. at 20°C
	Impedance: 40~100Ω
STANDARDS COMPLIANCE	UL: CM
	RoHS: 2011/65/ EU



CONFIGURATIONS

BC-1T-300M	1 Shielded Pair: 20 AWG Audio or Control Bulk Cable
------------	---
