

Product data sheet

Specifications



APC NetShelter SX, Server Rack Enclosure, 18U, Shock Packaging, Black, 925H x 600W x 1070D mm [TAA]

AR3106SP

Overview

Presentation An industry-standard rack with the most standard features for speed of deployment and installation. Ready for low to medium density edge computing. Shorter height allows for deployment underneath cabinets, desks, in remote office branch office spaces for a secure and discrete solution for IT devices. Shock pallet and shock packaging simplify IT "rack and stack" for equipment integrators.

Lead time Usually in Stock

Main

Product or Component Type Rack enclosure

Number of rack unit 18U

Provided equipment Casters
Doors
Key(s)
Leveling feet
Pallet ramps
Reusable packaging
Roof
Side Panels

Physical

Height 36.42 in (92.5 cm)

Width 23.62 in (60 cm)

Depth 42.13 in (107 cm)

Product Weight 159.00 lb(US) (72.12 kg)

Color Black

Mounting preference No preference

Mounting Mode Not rack-mountable

Maximum Mounting Depth 36.25 in (92.08 cm)

minimum mounting depth 7.52 in (19.1 cm)

Rack Width 19"

Marking 14 gauge EIA mounting rail
16 gauge front door
16 gauge post
18 gauge rear door
18 gauge roof
18 gauge side panels

Permanent permissible load 900 lb(US) (408.2 kg) dynamic
900 lb(US) (408.2 kg) static

Conformance

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Standards	UL 2416 UL 60950-1 EIA-310E
------------------	-----------------------------------

Ordering and shipping details

GTIN	731304347705
-------------	--------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	48.03 in (122 cm)
Package 1 Width	48.82 in (124 cm)
Package 1 Length	29.53 in (75 cm)
Package 1 Weight	280.0 lb(US) (127 kg)

Compliance

Compliance	TAA BAA via COTS
-------------------	---------------------

Contractual warranty

Warranty	5 year repair or replace
-----------------	--------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	385
--	-----

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

Energy efficiency

Optimized Energy Efficiency	Energy efficient product
-----------------------------	--------------------------

Use Again

Repack and remanufacture

Circularity Profile	End of Life Information
---------------------	---

Take-back	Yes
-----------	-----

Image of product / Alternate images

Alternative

