Product data sheet

Specifications



Galaxy VS Modular Battery Cabinet for up to 9 smart modular battery strings

GVSMODBC9

Overview

Presentation	Modular battery cabinet for extended runtime for UPSs with internal batteries. The cabinet is supplied without batteries, so modular battery strings must be purchased separately. Up to 9 battery strings can be installed and monitored in the cabinet.
Lead time	Usually Ships within 2 Weeks

Main

Product or Component Type	Battery cabinet
Range Compatibility	Galaxy VS
Battery Type	VRLA
Provided Equipment	Installation guide
Range of Product	Galaxy VS

Batteries & Runtime

Device mounting	Enclosed battery cabinet

Physical

Color	White
Height	77.6 in (197 cm)
Width	21.7 in (55 cm)
Depth	33.3 in (84.7 cm)
Net Weight	903.9 lb(US) (410 kg)
Surface Finish	Gloss level 85%

Conformance

Standards	FCC Part 15 class A

Environmental

Ambient Air Temperature for Operation	32…104 °F (0…40 °C)
Operating altitude	0...10000 ft
Relative Humidity	0…95 % non-condensing
Ambient Air Temperature for Storage	5…104 °F (-15…40 °C)
Storage altitude	0…50000 ft (0.0000000000…15240.0000000000 m)
Storage Relative Humidity	10…80 % non-condensing

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ordering and shipping details

GTIN	731304367475

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	82.0 in (208.2 cm)
Package 1 Width	39.8 in (101 cm)
Package 1 Length	29.7 in (75.5 cm)
Package 1 Weight	454.2 lb(US) (206 kg)

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Learn more about Green Premium ›

Eu Rohs Directive	Not applicable, out of EU RoHS legal scope

Image of product / Alternate images

Alternative



