

# Product datasheet

Specifications



Condenser, 46kw, 95F/115F(35C/46C),230V/1, 50Hz, with CE

ACCD75232-C

## Overview

Lead time Special Order - Call for Quoted Lead Times

## Main

Main Input Voltage 230 V

## General

Air discharge option Horizontal  
Upflow

Air flow 5191.4 l/s

Inrush current 6 A

## Physical

Height 134.4 cm

Width 111 cm

Depth 209 cm

net weight 135 kg

Mounting preference No preference

mounting mode Not rack-mountable

Length 2.090 m

## Input

Network frequency 50 Hz

## Conformance

Product certifications CE

## Environmental

Ambient air temperature for operation -20...50 °C

Operating altitude 0...10000 ft

Audible noise at 1 meter from surface of unit 56.6 dBA

## Packing Units

Unit Type of Package 1 PCE

---

<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	139.7 cm
<b>Package 1 Width</b>	228.6 cm
<b>Package 1 Length</b>	127 cm
<b>Package 1 Weight</b>	150 kg

---

## **Contractual warranty**

---

<b>Warranty</b>	1 year (parts only)
-----------------	---------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[How we assess product sustainability >](#)

**Eu Rohs Directive**

Not applicable, out of EU RoHS legal scope

---