

# Product data sheet

Specifications



## Rack PDU, Basic Vertical, 208V, 60A, (21) C13, (6) C19

AP6007A

### Overview

Lead time Usually in Stock

### Main

Product or Component Type	PDU
PDU Type	Basic
Cord length	10 ft (3.05 m)
Number of cables	1
Provided Equipment	Installation guide Safety guide

### Complementary

Input Voltage	208 V
Height	64.02 in (162.6 cm)
Width	2.20 in (5.6 cm)
Output Voltage	208 V
Depth	1.69 in (4.3 cm)
Product Weight	20.24 lb(US) (9.18 kg)
Mounting Location	Rear
Mounting preference	No preference
Input Plug Type	IEC 60309 60 A 2P + PE
Mounting Mode	Not rack-mountable
Rack units	0U
Mounting position	Vertical
Line Rated Current	45 A
Acceptable Input Voltage	200...240 V
Max line current	60 A
Input current limits	60 A
Load Capacity	10000 VA
Input Frequency	50/60 Hz
Outlet type and quantity	21 IEC 60320 C13 6 IEC 60320 C19

### Environment

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Product Certifications</b>	cUL Listed UL Listed
<b>Ambient air temperature for operation</b>	32...122 °F (0...50 °C)
<b>Relative Humidity</b>	5...95 %
<b>Operating altitude</b>	0...10000 ft
<b>Ambient Air Temperature for Storage</b>	5...149 °F (-15...65 °C)
<b>Storage Relative Humidity</b>	5...95 %
<b>Storage altitude</b>	0...50000 ft (0.0000000000...15240.0000000000 m)

## Ordering and shipping details

<b>GTIN</b>	731304327776
-------------	--------------

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	73.82 in (187.5 cm)
<b>Package 1 Width</b>	5.31 in (13.5 cm)
<b>Package 1 Length</b>	8.90 in (22.6 cm)
<b>Package 1 Weight</b>	24.3 lb(US) (11 kg)

## Contractual warranty

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 228

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Compliant

SCIP Number 1cdb2fed-a06f-4574-913d-8df8e70936b2

REACH Regulation [REACH Declaration](#)

Halogen content performance Product contains halogen above thresholds

### Energy efficiency

Optimized Energy Efficiency Energy efficient product

## Use Again

### Repack and remanufacture

Circularity Profile [End of Life Information](#)

Take-back Yes

Image of product / Alternate images

Alternative

---

