

Product data sheet

Specifications



APC KVM 2G, Digital/IP, 1 Remote/1 Local User, 16 Ports with Virtual Media - FIPS 140-2

KVM1116R

Overview

Lead time Usually in Stock

Main

Main Input Voltage 24 V DC
100 V
120 V
208 V
230 V
240 V

Product or Component Type Switch

Number of rack unit 1U

Physical

Color Black

Height 1.69 in (4.3 cm)

Width 16.69 in (42.4 cm)

Depth 7.40 in (18.8 cm)

Product Weight 5.71 lb(US) (2.59 kg)

Mounting Location Front

Mounting preference No preference

Mounting Mode Not rack-mountable

Input

Input Frequency 50/60 Hz

Conformance

Product Certifications C-tick
CE
EAC
TAA compliance
UL-AR
VCCI Class A
VDE

Standards FCC Part 15 class A
ICES-003
UL 60950-1

Environmental

Ambient air temperature for operation 32...122 °F (0...50 °C)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|--|--|
| Operating altitude | 0...10000 ft |
| Relative Humidity | 0...80 % |
| Ambient Air Temperature for Storage | -4...140 °F (-20...60 °C) |
| Storage altitude | 0...50000 ft (0.0000000000...15240.0000000000 m) |
| Storage Relative Humidity | 0...80 % |

Ordering and shipping details

| | |
|-------------|--------------|
| GTIN | 731304340195 |
|-------------|--------------|

Packing Units

| | |
|-------------------------------------|-----------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 5.75 in (14.6 cm) |
| Package 1 Width | 12.99 in (33 cm) |
| Package 1 Length | 24.37 in (61.9 cm) |
| Package 1 Weight | 8.80 lb(US) (3.99 kg) |

Contractual warranty

| | |
|-----------------|---------------------------|
| Warranty | 2 years repair or replace |
|-----------------|---------------------------|


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

|  Materials and Substances | |
|---|-----------------------------------|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant with Exemptions |
| REACH Regulation | REACH Declaration |

Use Again


|  Repack and remanufacture | |
|---|---|
| Circularity Profile | End of Life Information |
| Take-back | No |

Image of product / Alternate images

Alternative

