

Product data sheet

Specifications



APC NetShelter SX, Networking Rack Enclosure, 48U, Black, 2258H x 750W x 1200D mm [TAA]

AR3347

Overview

Presentation NetShelter SX Networking Enclosure expands Schneider Electric's superior IT enclosure line with improved support for high density networking applications. Integrated high density cable managers and improved cable access roof provide support for large cable bundles. When combined with the Side Airflow Duct Kit, the Networking Enclosure ensures complete isolation of cold intake and hot exhaust air for large switches and SAN directors.

Lead time Usually in Stock

Main

Product or Component Type Rack enclosure

Number of rack unit 48U

Provided equipment Baying hardware
Key(s)
Keyed-alike doors and side panels
Leveling feet
Mounting Hardware
Pre-installed casters
Side Panels
Vertical cable managers

Physical

Height 88.90 in (225.8 cm)

Width 29.53 in (75 cm)

Depth 47.24 in (120 cm)

Product Weight 408.85 lb(US) (185.45 kg)

Color Black

Mounting preference No preference

Mounting Mode Not rack-mountable

Maximum Mounting Depth 37.75 in (95.89 cm)

minimum mounting depth 11.00 in (27.94 cm)

Rack Width 19"

Marking 14 gauge EIA mounting rail
16 gauge front door
16 gauge post
16 gauge rear door
18 gauge roof
18 gauge side panels

Permanent permissible load 2250 lb(US) (1020.6 kg) dynamic
3750 lb(US) (1701.0 kg) static

Conformance

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Standards	UL 2416 UL 60950-1 EIA-310E
------------------	-----------------------------------

Ordering and shipping details

GTIN	731304284970
Country of origin	TH

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	93.90 in (238.5 cm)
Package 1 Width	33.50 in (85.1 cm)
Package 1 Length	52.01 in (132.1 cm)
Package 1 Weight	458.96 lb(US) (208.18 kg)

Compliance

Compliance	TAA BAA via COTS
-------------------	---------------------

Contractual warranty

Warranty	5 year repair or replace
-----------------	--------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	632
--	-----

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
-----------------------------------	--

REACH Regulation	REACH Declaration
------------------	-----------------------------------

Use Again

Repack and remanufacture

Circularity Profile	End of Life Information
---------------------	---

Take-back	Yes
-----------	-----

Image of product / Alternate images

Alternative















