

6 HydraPort® Unit Enclosure with US Power Outlet

HPX-600BL-NA, Black Anodized (AMX-FG560-01B-NA)

HPX-600SL-NA, Brushed Aluminum (AMX-FG560-01S-NA)



Overview

The HPX-600-NA 6 HydraPort® Unit Enclosure with US Power Outlet is a modular A/V table box for connecting mobile devices to projectors or displays in a conference room or classroom. This sleek, flush-mount table box is typically installed in a conference room or classroom look, featuring a uniquely-designed lid that conveniently opens in both directions to provide a clean, unobtrusive look.

No matter how you bring in your content - via HDMI, Ethernet, USB and other popular formats - you have access to the cable or connection you need, whenever you need it. The HydraPort Architectural Connectivity System uses simple, interchangeable modules to put together the exact future-proof configuration you need today and tomorrow.

Common Applications

- With 4 HydraPort Units available for modules, the HPX-600-NA is perfect for smaller rooms that need the capability to connect a small number of different device types to the A/V system, and to provide convenient AC power to devices
- Included US power outlet puts power within easy reach, so devices can be powered & charged throughout the meeting
- The HPX-600-NA is designed for any conference room, classroom or boardroom that requires the capability to connect devices to the A/V system, with an unobtrusive style
- With the capability to accommodate button modules, the HPX-600-NA is ideal for rooms that require an additional control interface at the table or lectern, or for smaller spaces where a keypad is the primary control interface

Features

- Future-Proof Modular Design – Features an assembly with the flexibility to change the modules to meet current and future needs
- Elegant and Unobtrusive – Flush-mount design installs cleanly into a lectern or table and the lid conveniently opens in both directions providing a sleek look
- No Electrician Required – The included US power outlet can be connected directly to a wall or floor outlet, eliminating the need for an electrician
- Control The Room – Add keypad or button modules to control A/V devices, lighting, & shades, as well as to initiate pre-programmed events like source selection or display power
- Available Brushed Aluminum – These stylish, low profile connectivity ports have the same contemporary brushed aluminum enclosure as high-end office furniture manufacturers at the same price as most competitive painted metal models

Specifications

GENERAL	
Dimensions	<ul style="list-style-type: none">•Max above mounting surface: 5/16" (7.3mm) with lid open, 1/8" (3mm) with lid closed•Mounting surface footprint: 8 3/16" x 5 7/16" (208mm x 138mm)•Min. mounting surface thickness: 3/4" (19 mm)•Max mounting surface thickness: 2" (51 mm)•Table Cutout Dimensions: 7.64" x 4.84" (194mm x 123mm)
Number of Modules Supported	<ul style="list-style-type: none">• Module sizes are provided in "HydraPort module units" (M)• Modules range in unit sizes from 1/2M to 4M• The HPX-600-NA supports up to six (6) total single-space modules (6M total).• The included US power outlet utilizes two (2) module spaces
Available Models	HPX-600BL-NA, Black Anodized (AMX-FG560-01B-NA) HPX-600SL-NA, Brushed Aluminum (AMX-FG560-01S-NA)
Enclosure	Black or Silver finish metal frame and lid with black plastic end caps.
Regulatory Compliance	UL 962A

