

Product data sheet

Specifications



3-Pole Circuit Breaker, 60A, T1 Type for Symmetra PX250/500kW

PD3P60AT1B

Overview

Lead time Usually Ships within 6 Weeks

Main

Main Input Voltage 480 V 3 phase

Output connector type Hard Wire 3-wire (3P) 1

Provided Equipment Installation guide

Physical

Height 17.008 in (43.2 cm)

Width 22.008 in (55.9 cm)

Depth 21.5 in (54.6 cm)

Net Weight 4.01 lb(US) (1.82 kg)

mounting location Front

Mounting preference No preference

Mounting Mode Not rack-mountable

Input

Max line current 60 A

Input Frequency 50 Hz
60 Hz

Output

Maximum Total Current Draw per Phase 60 A

Conformance

Product Certifications CE

Environmental

Ambient Air Temperature for Operation 32...104 °F (0...40 °C)

Relative Humidity 0...95 %

Operating altitude 0...3333 ft

Ambient Air Temperature for Storage 5...104 °F (-15...40 °C)

Storage Relative Humidity 0...95 %

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Storage altitude	0...15000 ft (0.0000000000...4572.0000000000 m)
------------------	---

Ordering and shipping details

GTIN	731304277958
------	--------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	17.008 in (43.2 cm)
Package 1 Width	21.5 in (54.6 cm)
Package 1 Length	22.008 in (55.9 cm)
Package 1 Weight	6.0 lb(US) (2.7 kg)

Contractual warranty

Warranty	1 year repair or replace
----------	--------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Eu Rohs Directive

Under investigation
