

Product data sheet

Specifications



APC NetShelter 6U Wallmount Rack Enclosure Cabinet Single Hinged Server Depth

AR106SH6

Product availability: Stock - Normally stocked in distribution facility

Overview

Presentation Ideal for retail, healthcare, and educational facilities, this wall mount rack offers an efficient solution for deploying server and networking equipment for edge computing applications. This rack enclosure is wall mountable, ideal for areas with limited floor space, and is designed specifically for servers and network switches, and patch panels. The cabinet's door is reversible and is compatible with APC's Netbotx security upgrade to provide remote access, video surveillance, and environmental monitoring (sold separately). Optional 120V fan tray can be top or bottom mounted (sold separately) Both the top and bottom feature knockouts of 1/2U mounting space for accessories. And several APC Smart-UPS models low-profile provide easy UPS integration and mounting 6U Wall mount cabinet, the mounting depth range of 2.87 to 20.8 inches, 200lb weight capacity, 19" rack width, ships fully assembled, ventilated with accessory integration options, 5 year APC warranty.

Lead time Usually in Stock

Main

Product or Component Type Rack enclosure

Number of rack unit 6U

Physical

Height 13.98 in (35.5 cm)

Width 23.62 in (60 cm)

Depth 23.62 in (60 cm)

Product Weight 31.70 lb(US) (14.38 kg)

Color Black

Mounting Support Wall

Mounting preference No preference

Mounting Mode Not rack-mountable

Maximum Mounting Depth 20.80 in (52.83 cm)

minimum mounting depth 2.87 in (7.29 cm)

Rack Width 19"

Permanent permissible load 200 lb(US) (90.7 kg) static

Conformance

Product Certifications TAA compliance
UL

Standards UL 2416
EIA-310E

Ordering and shipping details

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Category	80230-IG SEBA TO SEUSA
Discount Schedule	BMS1
GTIN	731304402688
Returnability	No

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.75 in (40.000 cm)
Package 1 Width	27.56 in (70.000 cm)
Package 1 Length	27.56 in (70.000 cm)
Package 1 Weight	43.343 lb(US) (19.660 kg)
Unit Type of Package 2	PAM
Number of Units in Package 2	6
Package 2 Height	62.99 in (160.000 cm)
Package 2 Width	39.37 in (100.000 cm)
Package 2 Length	47.24 in (120.000 cm)
Package 2 Weight	288.718 lb(US) (130.960 kg)

Contractual warranty

Warranty	5 year repair or replace
-----------------	--------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	53
--	----

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
-----------------------------------	--

REACH Regulation	REACH Declaration
------------------	-----------------------------------

Energy efficiency

Optimized Energy Efficiency	Energy efficient product
-----------------------------	--------------------------

Use Again

Repack and remanufacture

Circularity Profile	End of Life Information
---------------------	---

Take-back	Yes
-----------	-----

Image of product / Alternate images

Alternative



