

# Product data sheet

Specifications



## RACK PDU, BASIC, VERTICAL, 220-240V, 32A, (20) C13, (6) C19

AP6009A

### Overview

Lead time Usually in Stock

### Main

Product or Component Type	PDU
PDU Type	Basic
Cord length	10 ft (3.05 m)
Number of cables	1
Provided Equipment	Installation guide Safety guide

### Complementary

Input Voltage	230 V
Height	64.02 in (162.6 cm)
Width	2.20 in (5.6 cm)
Output Voltage	230 V
Depth	1.69 in (4.3 cm)
Product Weight	13.62 lb(US) (6.18 kg)
Mounting Location	Side
Mounting preference	No preference
Input Plug Type	IEC 60309 32 A 2P+E
Mounting Mode	Not rack-mountable
Rack units	0U
Mounting position	Vertical
Acceptable Input Voltage	200...240 V
Input current limits	32 A
Load Capacity	7400 VA
Input Frequency	50/60 Hz
Outlet type and quantity	20 IEC 60320 C13 6 IEC 60320 C19

### Environment

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Product Certifications</b>	CE EAC IRAM VDE
<b>Ambient air temperature for operation</b>	32...122 °F (0...50 °C)
<b>Relative Humidity</b>	5...95 %
<b>Operating altitude</b>	0...10000 ft
<b>Ambient Air Temperature for Storage</b>	5...149 °F (-15...65 °C)
<b>Storage Relative Humidity</b>	5...95 %
<b>Storage altitude</b>	0...50000 ft (0.0000000000...15240.0000000000 m)

## Ordering and shipping details

<b>GTIN</b>	731304327783
-------------	--------------

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	73.82 in (187.5 cm)
<b>Package 1 Width</b>	5.31 in (13.5 cm)
<b>Package 1 Length</b>	8.90 in (22.6 cm)
<b>Package 1 Weight</b>	17.6 lb(US) (8 kg)

## Contractual warranty

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) **156**

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant**

SCIP Number **1cdb2fed-a06f-4574-913d-8df8e70936b2**

REACH Regulation [REACH Declaration](#)

Halogen content performance **Product contains halogen above thresholds**

### Energy efficiency

Optimized Energy Efficiency **Energy efficient product**

## Use Again

### Repack and remanufacture

Circularity Profile [End of Life Information](#)

Take-back **Yes**

Image of product / Alternate images

Alternative

---

