

# Product datasheet

Specifications



## APC IT Power Distribution Module 3 Pole 5 Wire 16A IEC309 740cm

PDM3516IEC-740

### Overview

|                     |  |
|---------------------|--|
| <b>Presentation</b> | Factory assembled and tested Power Distribution Modules include circuit breaker, power cord, power connection, and circuit monitoring. Auto-detection of modules by the Modular PDU minimizes installation time. |
| <b>Lead time</b>    | Usually Ships within 3 Weeks   |

### Main

|                            |                         |
|----------------------------|-------------------------|
| <b>Main Input Voltage</b>  | 400 V 3 phases          |
| <b>Main Output Voltage</b> | 230 V<br>400 V 3 phases |
| <b>Provided equipment</b>  | Installation guide      |

### Physical

|                   |         |
|-------------------|---------|
| <b>Colour</b>     | Grey    |
| <b>Height</b>     | 15.2 cm |
| <b>Width</b>      | 43.2 cm |
| <b>Depth</b>      | 40.6 cm |
| <b>Net weight</b> | 3.29 kg |

### Input

|                          |       |
|--------------------------|-------|
| <b>Network frequency</b> | 50 Hz |
| <b>Max line current</b>  | 16 A  |

### Output

|                                       |                |
|---------------------------------------|----------------|
| <b>Max current draw</b>               | 16 A           |
| <b>Number of power socket outlets</b> | 1 IEC 309 16 A |

### Conformance

|                               |           |
|-------------------------------|-----------|
| <b>product certifications</b> | CE<br>VDE |
|-------------------------------|-----------|

### Packing Units

|                                     |         |
|-------------------------------------|---------|
| <b>Unit Type of Package 1</b>       | PCE     |
| <b>Number of Units in Package 1</b> | 1       |
| <b>Package 1 Height</b>             | 15.2 cm |
| <b>Package 1 Width</b>              | 40.6 cm |

---

Package 1 Length 43.2 cm

---

Package 1 Weight 4.2 kg

## Contractual warranty

---

Warranty 1 year repair or replace

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Take-back Transparency

## Resource performance

 Take-Back Program Available

## Well-being performance

 Mercury Free

**Reach Regulation**

[REACH Declaration](#)

**Eu Rohs Directive**

Under investigation

**Environmental Disclosure**

[Product Environmental Profile](#)

**Circularity Profile**

[End of Life Information](#)

Image of product / Alternate images

Alternative

---



