# Product data sheet

Specifications



## APC Modular Power Distribution Unit, 266kVA, 400A, 480V:415V Auto-transformer, 72 Pole, 300mm

PDPM288G6H

## Overview

| | |
|---|---|
| **Lead time** | Usually Ships within 6 Weeks |

## Main

| | |
|---|---|
| **Main Input Voltage** | 480 V 3 phase |
| **Main Output Voltage** | 230 V<br>240 V |
| **Other Output Voltage** | 240 V |
| **Provided Equipment** | Installation guide<br>User Manual |

## Physical

| | |
|---|---|
| **Height** | 78.4 in (199.1 cm) |
| **Width** | 11.7 in (29.8 cm) |
| **Depth** | 42.2 in (107.2 cm) |
| **Net Weight** | 1152.42 lb(US) (522.73 kg) |
| **mounting location** | Front |
| **Mounting preference** | No preference |
| **Mounting Mode** | Not rack-mountable |

## Input

| | |
|---|---|
| **Input Frequency** | 60 Hz |
| **Max line current** | 320 A |
| **Load Capacity** | 266 kVA |

## Output

| | |
|---|---|
| **Maximum Total Current Draw per Phase** | 370 A |

## Conformance

| | |
|---|---|
| **Product Certifications** | UL Listed |

## Ordering and shipping details

| | |
|---|---|
| **GTIN** | 731304266273 |

## Packing Units

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 84.02 in (213.4 cm) |
| **Package 1 Width** | 42.2 in (107.2 cm) |
| **Package 1 Length** | 11.7 in (29.8 cm) |
| **Package 1 Weight** | 1202.51 lb(US) (545.45 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty** | 1 year repair or replace |

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-$CO_2$ products.

Learn more about Green Premium >



Transparency



RoHS/REACh

## Well-being performance

| | |
|---|---|
| Mercury Free | |
| Rohs Exemption Information | Yes |

## Certifications & Standards

| | |
|---|---|
| **Reach Regulation** | REACh Declaration |
| **Eu Rohs Directive** | Pro-active compliance (Product out of EU RoHS legal scope) |
| **China Rohs Regulation** | China RoHS declaration<br>Product out of China RoHS scope. Substance declaration for your information. |
| **Environmental Disclosure** | Product Environmental Profile |
| **Circularity Profile** | End of Life Information |

Image of product / Alternate images

**Alternative**







