Product data sheet

Specifications



APC IT Power Distribution Module 3 Pole 5 Wire 63A IEC309 1040cm

PDM3563IEC-1040

Overview

Presentation	Factory assembled and tested Power Distribution Modules include circuit breaker, power cord, power connection, and circuit monitoring. Auto-detection of modules by the Modular PDU minimizes installation time.
Lead time	Usually Ships within 3 Weeks

Main

Main Input Voltage	400 V 3 phase
Main Output Voltage	230 V 400 V 3 phase
Provided Equipment	Installation guide

Physical

Color	Gray
Height	6.0 in (15.2 cm)
Width	10.5 in (26.7 cm)
Depth	12.008 in (30.5 cm)
Net Weight	68.14 lb(US) (30.91 kg)

Input

Input Frequency	50 Hz
Max line current	63 A

Output

Maximum Total Current Draw per Phase	63 A
Number of power socket outlets	1 IEC 309

Conformance

Product Certifications	CE VDE

Environmental

Ambient Air Temperature for Operation	32…86 °F (0…30 °C)
Relative Humidity	0…95 %
Operating altitude	0...10000 ft

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient Air Temperature for Storage	5…104 °F (-15…40 °C)
Storage Relative Humidity	0…95 %
Storage altitude	0…15000 ft (0.0000000000…4572.0000000000 m)

Ordering and shipping details

GTIN	731304283669

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.02 in (22.9 cm)
Package 1 Width	20.0000000000 in (50.8 cm)
Package 1 Length	20.0000000000 in (50.8 cm)
Package 1 Weight	72.16 lb(US) (32.73 kg)

Contractual warranty

Warranty	1 year repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Learn more about Green Premium >




Take-back Transparency

Resource performance

Take-Back Program Available

Well-being performance

Mercury Free

Reach Regulation	REACh Declaration
Eu Rohs Directive	Under investigation
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Image of product / Alternate images

Alternative

