Product data sheet

Specifications



SYMMETRA PX STATIC SWITCH MODULE, 208V

SYSW40KF

Overview

Lead time	Usually in Stock

Main

Main Input Voltage	400 V 3 phase
Main Output Voltage	400 V 3 phase
Kw Rating	40000 W
Rated power in VA	40000 VA
Number of rack unit	0U
Number of cables	1

Batteries & Runtime

Included Battery Modules	0
Battery Slots Empty	0

Physical

Height	8.0 in (20.3 cm)
Width	20.0000000000 in (50.8 cm)
Depth	28.0 in (71.1 cm)
Net Weight	50.7 lb(US) (23 kg)
mounting location	Front
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Two post mountable	0
USB compatible	No

Output

Max Configurable Power (Watts)	40000 W

Conformance

Product Certifications	cUL Listed UL Listed
Standards	FCC Part 15 class A

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental

Ambient Air Temperature for Operation	32…104 °F (0…40 °C)
Relative Humidity	0…95 %
Operating altitude	0...3333 ft
Ambient Air Temperature for Storage	32…104 °F (0…40 °C)
Storage Relative Humidity	0…95 %
Storage altitude	0…3333 ft (0.0000000000…1015.9 m)

Ordering and shipping details

GTIN	731304189770

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12.008 in (30.5 cm)
Package 1 Width	34.02 in (86.4 cm)
Package 1 Length	24.02 in (61 cm)
Package 1 Weight	56.2 lb(US) (25.5 kg)

Contractual warranty

Warranty	2 years repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Learn more about Green Premium >

Eu Rohs Directive	Compliant
	EU RoHS Declaration