




Surface and Flush Mounting Boxes





Features

- Industry's largest variety of mounting boxes, escutcheons, trim plates and sleeves.
- Surface / flush mounting, indoor / outdoor and water tight applications.
- Flame and impact resistant polymer (ABS) models.
- Heavy gauge stainless steel and aluminum models.

NARROW / JAMB MOUNTING BOXES

CM-23 Narrow / Jamb Width	CM-23D Narrow / Jamb Width, Deep	CM-23DSER Narrow/Jamb Width, Extra Deep
Type: Surface mount box Construction: Flame & impact resistant black polymer (ABS) Application: Indoor / outdoor, wired For Switch Series: CM-25, CM-250, CM-310 Cover Plate: CM-23CP 	Type: Surface mount box Construction: Flame & impact resistant black polymer (ABS) Application: Indoor / outdoor, wired. Required for wireless. For Switch Series: CM-25TRF, CM-170, CM-250TRF, CM-310, CM-325N, CM-2200 	Type: Surface mount box Construction: Flame & impact resistant black polymer (ABS) Application: Indoor / outdoor, wired. Required for wireless. For Switch Series: CM-333 & CM-336 

SINGLE GANG MOUNTING BOXES

CM-34AL Single Gang, Standard Depth	CM-34BL Single Gang, Standard Depth
Type: Surface mount box, threaded conduit entry Construction: Heavy duty cast aluminum Application: Water tight, wired For Switch Series: CM-35, CM-180, CM-195, CM-280, CM-300, CM-324, CM-325, CM-336, CM-400, CM-4000, CM-5000, CM-700, CM-1100, CM-1200, supplied w/ CM-1000 Series Gasket: CM-120G 	Type: Surface mount box Construction: Double wall, black polymer (ABS) Application: Indoor, wired or wireless For Switch Series: CM-35, CM-180, CM-195, CM-280, CM-300, CM-324, CM-325, CM-336, CM-400, CM-700, CM-1200 Gasket: CM-120G Cover Plate: CM-34CP 
CM-34D Single Gang, Extra Depth	CM-31 Single Gang
Type: Surface mount box Construction: Heavy duty grey polymer Application: Indoor / outdoor, wired. Required for wireless For Switch Series: CM-30, CM-3000, CM-4085 / 5085 / 7085 / 8085 Gasket: CM-120G 	Type: Sleeve for standard 2" x 4" surface electrical box Construction: Heavy gauge stainless steel Application: Adds brushed stainless steel finish to standard electrical box For Switch Series: CM-35, CM-180, CM-195, CM-300, CM-324, CM-325, CM-1200 



SINGLE GANG MOUNTING BOXES

CM-CPC1 Single Gang

Type:

Clear plastic protection cover

Construction:


Molded polycarbonate

Application:

Indoor / outdoor

For Switch Series:

Any Camden single gang flush mounted Push/Exit Switch, Keypad/Key Switch



CM-RH-SG Single Gang

Type: Flush mount rain hood

Construction:


Heavy gauge stainless steel

Application:

Foam gasket between hood and mounting surface on irregular surfaces

For Switch Series:

Any Camden single gang flush mounted Push/Exit Switch, SureWave™ Switch, Keypad/Key Switch



DOUBLE GANG / SQUARE MOUNTING BOXES - SURFACE

CM-43LP Double Gang, 2 Pieces, Shallow

Type: Surface mount box


Construction: Provision for wireless, flame & impact resistant black polymer (ABS)

Application:

Indoor / outdoor

For Switch Series:

CM-41, CM-45, CM-46.
Add suffix 'A' for use with CM-324 / 325 / 330 Series double gang Hands Free Switches.
Add suffix 'B' for use with CM-2520 double gang vestibule switches



CM-43CBL / CBLA 5" Square, Standard Depth

Type: Surface mount box

Construction:

Flame & impact resistant black polymer (ABS)


Application:

Indoor / outdoor, wired.
Required for wireless.

For Switch Series:

CM-41, CM-45, CM-46
CM-43CBLA: surface box for CM-324 / 325 / 336W switches

Cover Plate: CM-43CP



CM-53 5" Square, Standard Depth

Type:

Surface mount box

Construction:


Flame & impact resistant black polymer (ABS)

Application:

Indoor / outdoor, for double gang switches and vestibule switches

For Switch Series:

CM-500, CM-2510, CM-2520, CM-3200, CM-3500



CM-54i 5-1/4" Square, Standard Surface Depth

Type: AURA™ Illuminated surface box - CM-54i: Green/Red

Construction:


Flame & impact resistant black polymer (ABS)

Application:

Surface 4-1/2" square push plate switch enclosure, room for wireless

For Switch Series:

CM-45, CM-46, SPDT models only



DOUBLE GANG / SQUARE MOUNTING BOXES - SURFACE

CM-44 Double Gang, Shallow

Type:

Offset surface mount box

Construction:


Stainless steel

Application:

For mounting 4-1/2" square switches on narrow jambs, indoor/outdoor, wired

For Switch Series:

CM-41, CM-45, CM-46



CM-540B Double Gang, Shallow

Type:

Semi-flush mount box

Construction:


Flame & impact resistant black polymer (ABS)

Application:

Indoor / outdoor, wired

For Switch Series:

CM-41, CM-45, CM-46



CM-68AL/BZ Double Gang, Shallow

Type:

Surface mount box

Construction:


Anodized aluminum finish or CM-68BZ
Anodized dark bronze finish

Application:

Indoor / outdoor, wired

For Switch Series:

CM-60 (Requires CM-49C adaptor plate, sold with switch)



CM-63CBL 5" Square, Standard Depth

Type:

Surface mount box

Construction:


Flame & impact resistant black polymer (ABS)

Application:

Indoor / outdoor, wired.
Required for wireless.

For Switch Series:

CM-41, CM-60, CM-3200



CM-67 Double Gang

Type:

Sleeve for standard 4" x 4" surface electrical box

Construction:


Heavy gauge stainless steel

Application:

Adds brushed SS finish to standard electrical box

For Switch Series:

CM-41, CM-45, CM-46, CM-60



DOUBLE GANG / SQUARE MOUNTING BOXES - SURFACE


CM-440 Double Gang

Type: 5" flush dress plate

Construction: Stainless steel

Application: For mounting 4-1/2" round switch on standard single and double gang electrical box

For Switch Series: CM-40




CM-660 Double Gang

Type: 6-1/2" flush dress plate

Construction: Stainless steel

Application: For mounting switches on standard single, double gang and 4" square electrical boxes

For Switch Series: CM-45, CM-46, CM-60



CM-49C Double Gang


Type: Adapter plate

Construction: Galvanized steel

Application: For mounting CM-41, CM-45, CM-60 switches on double gang and 4" square mounting boxes

For Switch Series:

CM-45, CM-46 (included with CM-60)



DOUBLE GANG / SQUARE MOUNTING BOXES - FLUSH

CM-55i 6-1/2" Square, Flush


Type: AURA™: Illuminated flush mount box, CM-55i: Green/Red

Construction: Flame & impact resistant black polymer (ABS)

Application: Flush 4-1/2" square push plate switch enclosure, room for wireless

For Switch Series:

CM-45, CM-46, SPDT models only




CM-55CBL 6-1/2" Square, Flush

Type: Flush mount box, 2 pieces

Construction: Flame & impact resistant black polymer (ABS)

Application: Indoor/outdoor

For Switch Series: CM-45, CM-46, SPDT models only




CM-RH-DG Double Gang

Type: Flush mount rain hood

Construction: Heavy gauge stainless steel

Application: Foam gasket between hood and mounting surface on irregular surfaces

For Switch Series: Any Camden double gang flush mounted Push/Exit Switch, SureWave™ Switch, Keypad/Key Switch



4-1/2" ROUND MOUNTING ENCLOSURES - SURFACE

CM-47S 5" Round, Standard Depth

Type: Surface mount box


Construction:

Flame & impact resistant
black polymer (ABS)

Application:

Indoor / outdoor,
wired / wireless

For Switch Series: CM-40



CM-570B 4-11/16" Semi-Flush, Mounting Box

Type: Semi-flush mount box


Construction:

Flame & impact resistant,
black polymer (ABS)

Application:

Indoor / outdoor, wired

For Switch Series: CM-40



CM-47SER For 4-1/2" Round Switches, Optional Extension Ring

Type: Surface mount box and optional extension ring

Construction: Flame & impact resistant, black polymer (ABS)

Application: Indoor / outdoor, wired, or wireless

- **CM-47S:** Surface Mount Box, for 4-1/2" push plate switches
Provision for Lazerpoint RF™ battery powered wireless transmitter

- **CM-47-ADP1:**


Retrofit extension ring
and hardware for CM-47S
mounting box. Required
for Kinetic™ no-battery
wireless switch

- **CM-47SER:**

Surface mount box and
extension ring for 4-1/2"
push plate switches

For Switch Series:

CM-40, CM-40K, CM-324,
CM-325, CM-336, CM-331,
CM-332, CM-333. Extension rings
required for Kinetic™ and
SureWave™ 4-1/2" switches



CM-49 8-3/4" Round, 1-13/16" Depth

Type: 2 pieces surface / semi flush. Gasket and adapter plate included

Construction: Flame & impact resistant, black polymer (ABS)

Application: Indoor/outdoor, wired/wireless


- **CM-49A:** Semi flush on single gang electrical box

- **CM-49B:** Used with CM-49A

- **CM-49C:** Adapter plate for double gang and 4" square box

- **CM-49G:** Gasket

For Switch Series: CM-40




CM-59S 7-3/4" Round, Standard Depth

Type: Surface mount escutcheon

Construction: Heavy gauge stainless steel

Application: Vandal resistant, Indoor / outdoor,
wired

For Switch Series: CM-40




CM-69S 6-1/2" Round, Standard Depth

Type: Surface mount box

Construction: Flame & impact resistant black
polymer (ABS)

Application: Indoor / outdoor, wired/wireless

For Switch Series: CM-60




CM-89S 9-5/8" Round, Standard Depth

Type: Surface mount escutcheon

Construction: Heavy gauge stainless steel

Application: Vandal resistant, indoor/outdoor,
wired

For Switch Series: CM-60



6" ROUND MOUNTING ENCLOSURES - SURFACE

CM-69SER For 6" Round Switches, **Optional Extension Ring**

Type: Surface mount box and optional extension ring

Construction: Flame & impact resistant black polymer (ABS)

Application: Indoor/outdoor, wired, or wireless, manual or touchless


- **CM-69S:** Surface Mount Box, for 4-1/2" push plate switches
Provision for Lazerpoint RF™ battery powered wireless transmitter
- **CM-69-ADP1:** Retrofit extension ring and hardware for CM-69S mounting box. Required for SureWave™ touchless switches and Kinetic™ no-battery wireless switches

- **CM-69SER:** Surface mount box and extension ring for 6" round SureWave™ touchless switches and Kinetic™ no-battery wireless switches

For Switch Series:

CM-60, CM-60K

Extension rings required for Kinetic™ 6" round switches



CM-79 9-5/8" Round, 1-13/16" Depth


Type: 2 pcs. surface and semi flush mount escutcheon, gasket and adapter plate included

Construction: Flame & impact resistant black polymer (ABS)

Application: Vandal resistant, indoor/outdoor

- **CM-79A:** Semi-flush mounting on single gang electrical box, wired
- **CM-79B:** Surface mount. Wired/wireless. Must be used with CM-79A
- **CM-79C:** Adapter plate to mount CM-79A on double gang and 4" square electrical box
- **CM-79G:** Gasket for CM-79A or CM-79B

For Switch Series: CM-60



4-1/2" ROUND MOUNTING ENCLOSURES - FLUSH

CM-57GR 6-5/8" Round, Flush

Type: AURA™ Illuminated flush mount box


Construction: Flame & impact resistant black polymer (ABS)

Application:

Flush 4-1/2" round push plate switch enclosure, room for wireless

For Switch Series:

CM-40, SPDT models only



CM-57CBL 6-5/8" Round, Flush

Type: Flush mount box, 2 pieces


Construction: Flame & impact resistant black polymer (ABS)

Application:

Indoor / outdoor

For Switch Series:

CM-40, SPDT models only



36" TALL MOUNTING BOX - SURFACE

CM-75SB 36" Column™, Surface

Type: Surface mount box

Construction: Powder coated, 16-gauge steel

Application: Indoor / outdoor, wired

- **CM-75SB:** Surface mount, powder coated electrical gray
- **CM-75SB-BK:** Surface mount, powder coated black

For Switch Series:

CM-75 Series Column™ switches

