Product data sheet

Specifications



APC Universal Transfer Switch 6-circuit 120V, L5-30

UTS6H

Discontinued on: May 14, 2025

To be end-of-service on: Dec 31, 2025

To be discontinued

Overview

Lead time	Usually in Stock

Main

Main Input Voltage	120 V
Product or Component Type	Transfer switch
Main Output Voltage	120 V
Other Output Voltage	240 V
Input Connection Type	IEC 60320 C14 NEMA 5-15P NEMA L5-30P
Number of cables	1
Provided Equipment	Hardwire panel User Manual Installation guide

Physical

Color	Black
Height	19.61 in (49.8 cm)
Width	15.51 in (39.4 cm)
Depth	3.31 in (8.4 cm)
Product Weight	21.54 lb(US) (9.77 kg)
Mounting Location	Front Side Top
Mounting preference	No preference
Mounting Mode	Not rack-mountable
USB compatible	No

Input

Input Frequency	47...63 Hz
Max line current	20 A

Conformance

Product Certifications	cTUVus

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental

Ambient air temperature for operation	-13…104 °F (-25…40 °C)
Relative Humidity	5…95 %
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	-40…185 °F (-40…85 °C)
Storage altitude	0…10000 ft (0.0000000000…3048.0000000000 m)

Ordering and shipping details

GTIN	731304264514

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	20.98 in (53.3 cm)
Package 1 Width	5.98 in (15.2 cm)
Package 1 Length	17.52 in (44.5 cm)
Package 1 Weight	24.05 lb(US) (10.91 kg)
SCC14	10731304264511

Contractual warranty

Warranty	2 years repair or replace

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	0faaa581-e733-4efc-987a-3938986edbd8
REACh Regulation	REACh Declaration

Use Again

Repack and remanufacture

Circularity Profile	End of Life Information
Take-back	No

Image of product / Alternate images

Alternative

