

# Product data sheet

Specifications



## APC NetShelter SV, Server Rack Enclosure, 42U, Black, 2057H x 800W x 1060D mm with Roof, Castors, Feet, 4 Brackets, Bottom and Side Panels

AR2480

### Overview

**Presentation** Wide Universal IT enclosure with increased cable management options for denser server and networking applications. Includes integrated vertical 1U mounting spaces adjacent the enclosures standard EIA-310 equipment mounting u-spaces that can be removed and replaced with 1U accessories. 42U height to easily roll through doorways.

**Lead time** Usually in Stock

### Main

**Product or Component Type** Rack enclosure

**Number of rack unit** 42U

**Provided equipment** Baying hardware  
Doors  
Key(s)  
Keyed-alike doors and side panels  
Leveling feet  
Mounting Hardware  
Pre-installed casters  
4 x Bolt down brackets  
Roof  
Side Panels  
Unpacking sheet

### Physical

**Height** 80.98 in (205.7 cm)

**Width** 31.50 in (80 cm)

**Depth** 41.73 in (106 cm)

**Product Weight** 287.7 lb(US) (130.5 kg)

**Color** Black

**Mounting preference** No preference

**Mounting Mode** Not rack-mountable

**Maximum Mounting Depth** 30.60 in (77.72 cm)

**minimum mounting depth** 6.60 in (16.76 cm)

**Rack Width** 19"

**Marking** 14 gauge EIA mounting rail  
16 gauge front door  
18 gauge post  
16 gauge rear door  
19 gauge roof  
18 gauge side panels

**Permanent permissible load** 1014 lb(US) (459.9 kg) dynamic  
2205 lb(US) (1000.2 kg) static

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Conformance

---

Standards	UL 2416 UL 60950-1 EIA-310E
-----------	-----------------------------------

## Ordering and shipping details

---

Category	11309 - APC RESALE PRODUCTS
----------	-----------------------------

---

GTIN	731304302070
------	--------------

---

Returnability	No
---------------	----

---

Country of origin	CN
-------------------	----

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	85.87 in (218.1 cm)
------------------	---------------------

---

Package 1 Width	37.01 in (94 cm)
-----------------	------------------

---

Package 1 Length	45.67 in (116 cm)
------------------	-------------------

---

Package 1 Weight	330.440 lb(US) (149.885 kg)
------------------	-----------------------------

## Contractual warranty

---

Warranty	5 year repair or replace
----------	--------------------------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	455
------------------------------------------------	-----

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	No
----------------------------------------	----

Packaging without single use plastic	No
--------------------------------------	----

<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
-----------------------------------	------------------------------------------------------------

REACH Regulation	<a href="#">REACH Declaration</a>
------------------	-----------------------------------

## Use Again

### Repack and remanufacture

Circularity Profile	<a href="#">End of Life Information</a>
---------------------	-----------------------------------------

Take-back	Yes
-----------	-----

Image of product / Alternate images

Alternative

---















