



# WBT PERFORMANCE CABLE TRAY CEILING SUPPORT

The nVent CADDY WBT Performance Tray Ceiling Support works as tray support and splice point—an ideal alternative to strut trapeze supports for wire basket tray installations.



## FEATURES

- Use as center support or support provisioned from both ends
- Add additional support by attaching the ground splice or cable tray splice
- Accepts 1/2" threaded rod and smaller

## SPECIFICATIONS

- Finish:** Pregalvanized
- Material:** Steel

Table 1/2

Catalog Number	Color	Height	Width	Length	Hole Size 1	Hole Size 2
WBTCLSPRT12		0.62"	1.63"	15.292"	0.531"	0.228"
WBTCLSPRT12 BA	Black	0.62"	1.63"	15.292"	0.531"	0.228"
WBTCLSPRT12 WH	White	0.62"	1.63"	15.292"	0.531"	0.228"
WBTCLSPRT16		0.62"	1.63"	19.229"	0.531"	0.228"
WBTCLSPRT16 BA	Black	0.62"	1.63"	19.229"	0.531"	0.228"
WBTCLSPRT16 WH	White	0.62"	1.63"	19.229"	0.531"	0.228"
WBTCLSPRT18		0.62"	1.63"	21.198"	0.531"	0.228"

Catalog Number	Color	Height	Width	Length	Hole Size 1	Hole Size 2
WBTCCLSPRT18 BA	Black	0.62"	1.63"	21.198"	0.531"	0.228"
WBTCCLSPRT18 WH	White	0.62"	1.63"	21.198"	0.531"	0.228"
WBTCCLSPRT20		0.62"	1.63"	23.167"	0.531"	0.228"
WBTCCLSPRT20 BA	Black	0.62"	1.63"	23.167"	0.531"	0.228"
WBTCCLSPRT20 WH	White	0.62"	1.63"	23.167"	0.531"	0.228"
WBTCCLSPRT24		0.62"	1.63"	27.104"	0.531"	0.228"
WBTCCLSPRT24 BA	Black	0.62"	1.63"	27.104"	0.531"	0.228"
WBTCCLSPRT24 WH	White	0.62"	1.63"	27.104"	0.531"	0.228"
WBTCCLSPRT6		0.62"	1.63"	9.386"	0.531"	0.228"
WBTCCLSPRT6B A	Black	0.62"	1.63"	9.386"	0.531"	0.228"
WBTCCLSPRT6W H	White	0.62"	1.63"	9.386"	0.531"	0.228"
WBTCCLSPRT8		0.62"	1.63"	11.354"	0.531"	0.228"
WBTCCLSPRT8B A	Black	0.62"	1.63"	11.354"	0.531"	0.228"
WBTCCLSPRT8W H	White	0.62"	1.63"	11.354"	0.531"	0.228"

Table 2/2

Catalog Number	Unit Weight
WBTCCLSPRT12	1.1 lb
WBTCCLSPRT12BA	1.1 lb
WBTCCLSPRT12WH	1.1 lb
WBTCCLSPRT16	1.5 lb
WBTCCLSPRT16BA	1.5 lb
WBTCCLSPRT16WH	1.5 lb
WBTCCLSPRT18	1.6 lb
WBTCCLSPRT18BA	1.6 lb
WBTCCLSPRT18WH	1.6 lb
WBTCCLSPRT20	1.9 lb
WBTCCLSPRT20BA	1.9 lb

Catalog Number	Unit Weight
WBTCLSPRT20WH	1.9 lb
WBTCLSPRT24	1.9 lb
WBTCLSPRT24BA	1.9 lb
WBTCLSPRT24WH	1.9 lb
WBTCLSPRT6	0.55 lb
WBTCLSPRT6BA	0.55 lb
WBTCLSPRT6WH	0.55 lb
WBTCLSPRT8	0.8 lb
WBTCLSPRT8BA	0.8 lb
WBTCLSPRT8WH	0.8 lb

## WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at [www.nvent.com](http://www.nvent.com) and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

### North America

+1.800.753.9221  
Option 1 – Customer Care  
Option 2 – Technical Support

### Europe

Netherlands:  
+31 800-0200135  
France:  
+33 800 901 793

### Europe

Germany:  
800 1890272  
Other Countries:  
+31 13 5835404

### APAC

Shanghai:  
+ 86 21 2412 1618/19  
Sydney:  
+61 2 9751 8500



Our powerful portfolio of brands:  
nVent.com **CADDY ERICO HOFFMAN RAYCHEM SCHROFF**  
**TRACER**