

A man in a grey suit and blue shirt is speaking to a large audience in a lecture hall. He is gesturing with his hands. The audience is seated at desks, and a camera is visible on the wall in the background.

#CONNECTBETTER

Table of Contents

About AVer

03

Why AVer

04

Auto Tracking Cameras

06

PTZ Cameras

14

Camera Controller

20

Tracking Box

22

Software

24

Specifications

30

About AVer

AVer is an award-winning provider of video and collaboration solutions that improve productivity and enrich lives. Our Pro AV product portfolio includes cutting-edge auto tracking cameras and PTZ cameras to serve any presentation, training or lecture environments. We strive to provide industry leading product quality, service and support that exceeds our customer's expectations. We are also deeply committed to our community, the environment and employ stringent green processes in all we do. Learn more at pro.averusa.com.





Why AVer

From the moment you meet AVer we want to make sure that your experience with us is easy, enjoyable and satisfying. From our sales, operations, accounting to our warehousing and technical support teams, we strive to go above and beyond what's expected every step of the way. With our free US based, live phone email and chat technical support, free product training and unrivaled warranties, AVer serves as your partner rather than simply your vendor.

AVerCare Warranty Protection

AVerCare delivers industry-leading 5 or 3 year* warranty with Advanced Replacement and 24-hour turnaround time in the first year. We strive to provide industry leading product quality, service and support so you're always up and running!



* 5-year protection is included only on "V2" Pro AV cameras and the MT300N as of August 16, 2023. Optional 2-year extended warranty is available for purchase on 3-year warranty covered products only.

TAA and NDAA Compliant

AVer Pro AV cameras and accessories that are TAA and NDAA Compliant include the models MD330 Series, TR211, TR315(N), TR35(N), TR323NV2, TR313V2, PTZ211, PTZ231, PTZ310UNV2, PTZ310UV2, PTZ330UNV2, PTZ330UV2, and MT300N. TAA refers to the Trade Agreements Act (19 U.S.C. & 2501-2581), which is intended to foster fair and open international trade. AVer PTZ and TR cameras are designed for use as part of video systems which comply with NDAA 2019, Section 889. We can provide full Certificate of Origin information for any of our products.



Pro Evaluation Program

Buying a professional video system is no small task. Let us make evaluating our Auto Tracking and PTZ cameras a little easier. Our no risk 30 day Pro Evaluation Program allows you to try out any of our Pro AV cameras before you buy. If you wish to purchase we will work with a partner to fulfill your order. If not, we provide return shipping at no cost.



AUTO TRACKING CAMERAS

AVer Professional Auto Tracking Cameras support IP streaming and deliver professional video broadcasts without the need for a videographer to track your target!

TR211

12X HD PTZ Streaming Camera

Windows, Mac OS

- 3 Auto Tracking Modes
- 12X Optical Zoom
- 3G-SDI/HDMI/IP/USB Output
- Full HD 1080p60
- PoE+ Supported
- WDR

Tracking Modes	Optical Zoom	Outputs
Resolution	Supports PoE+	WDR



*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PATR211V3

TR315

12X 4K AI Auto Tracking Camera

Windows, Mac OS

- 3 Auto Tracking Modes
- Voice Tracking
- 12X Optical Zoom
- 4K Ultra HD
- 3G-SDI/HDMI/IP/USB Output
- 8 MP Picture

Tracking Modes	Optical Zoom	Outputs
Resolution	Supports PoE+	WDR



*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PATR315V3 | PTR315NV3 (TR315N)

TR335

30X 4K AI Auto Tracking Camera

Windows, Mac OS

3 Auto Tracking Modes







Vocie Tracking


30X Optical Zoom

4K Ultra HD

3G-SDI/HDMI/IP/USB Output

8 MP Picture

Tracking Modes 	Optical Zoom 	Outputs 
Resolution 	Supports PoE+ 	WDR 



*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PATR335V3 | PTR335NV3 (TR335N)

TR313V2

12X 4K AI Auto Tracking Camera

Windows, Mac OS

3 Auto Tracking Modes







Vocie Tracking* and Gesture Control

12X Optical Zoom

4K Ultra HD

3G-SDI/HDMI/IP/USB Output

Supports PoE+

Tracking Modes 	Optical Zoom 	Outputs 
Resolution 	Supports PoE+ 	WDR 



*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PATR313V2

TR323NV2

21X 4K NDI AI
Auto Tracking Camera

Windows, Mac OS

3 Auto Tracking Modes

Voice Tracking* and Gesture Control

21X Optical Zoom

4K Ultra HD

3G-SDI/HDMI/IP/USB Output

Supports NDI/HX2 and SRT Protocol

Tracking Modes

3

Optical Zoom

21X+
OPTICAL

Outputs

HDMI
3G-SDI
IP
USB

Resolution

Ultra HD
4K

Supports PoE+



WDR



NDI | HX



*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PATR323NV2

TR615

Broadcast Professional
Auto Tracking PTZ Camera

Windows, Mac OS

4 Auto Tracking Modes

AI Auto Tracking Technology

19X Optical Zoom

4K Ultra HD

12G-SDI x2/HDMI/IP/USB Output

Supports PoE++

Tracking Modes

4

Optical Zoom

19X+
OPTICAL

Outputs

HDMI
12G-SDI
IP
USB

Resolution

Ultra HD
4K

Supports PoE++



WDR



*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PATR615V1

PTZ CAMERAS

AVer Professional PTZ Cameras support IP streaming and empower users to easily create excellent quality video from setup to showtime.

PTZ330UV2

30X 4K AI NDI PTZ Camera

Windows, Mac OS

Advanced Preset Tracking

Voice Tracking*

30X Optical Zoom

4Kp60

HDMI/IP/USB/3G-SDI Output

Supports PoE+

PTZ



Optical Zoom



Outputs



Resolution



IP Streaming



Supports PoE+



*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PTZ330UV2

PTZ310UV2

12X 4K AI PTZ Camera

Windows, Mac OS

Advanced Preset Tracking

Voice Tracking*

12X Optical Zoom

4Kp60

HDMI/IP/USB/3G-SDI Output

Supports PoE+

PTZ



Optical Zoom



Outputs



Resolution



IP Streaming



Supports PoE+



*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PTZ310UV2

PTZ231

30X HD AI PTZ Camera

Windows, Mac OS

Advanced Preset Tracking

Voice Tracking*

30X Optical Zoom

Full HD 1080p60

HDMI/IP/USB/3G-SDI Output

Supports PoE+

AI Functions



Optical Zoom

12X+
OPTICAL

Multi-Stream

4
Output

Resolution

Full HD
1080p60

Megapixels

2 MP

Supports PoE+



*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PTPTZ231W

PTZ211

12X HD AI PTZ Camera

Windows, Mac OS

Advanced Preset Tracking

Voice Tracking*

12X Optical Zoom

Full HD 1080p60

HDMI/IP/USB/3G-SDI Output

Supports PoE+

AI Functions



Optical Zoom

12X+
OPTICAL

Multi-Stream

4
Output

Resolution

Full HD
1080p60

Megapixels

2 MP

Supports PoE+



* With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PTPTZ211W



CL01

PTZ Professional Camera Controller

- Pan/Tilt/Zoom Speed Control
- Operate 255 PTZ Cameras
- 3 Infinite Rotation Knobs
- Supports RS-422/RS-485/RS-232/IP Control
- Built-in VISCA, SONY VISCA, Pelco P/D, UDP Protocols
- 1 Year Warranty

Speed Control 	Quick Access 	Rotation Knobs
Control Interfaces RS-232 RS-422 RS-485 IP	VISCA Pelco-D/P VISCA Pelco-D Pelco-P	Warranty

MT300N

NDI® Matrix Tracking Box

Integrated Voice Tracking

Multi-Camera Switching

2 HDMI & 2 USB Type B

Supports NDI | HX2 Protocol

Built-in PTZ Link Premium

Supports PoE+

Voice Tracking Camera Switching 2HDMI & 2USB-B



Support NDI | HX2



Built-in



Supports PoE+



AVer SKU: PATMT300N



PTZ Management

Easy to Use and Efficient Central Management Tool

Windows 10, Windows 11

Control up to 256 Cameras

User-Friendly Interface

Remote Camera Management

Easily Update Devices

Works with All AVer PTZ and TR Cameras



CaptureShare

Easily Record Video, Livestream, and Capture Still Images


Windows & MAC

Annotate, Record Video, Live Stream, and Capture Images

Manage Camera Controls via USB

Works with AVer PTZ and Select TR Cameras

Works with Select AVer Document Cameras



Premium Version Available!

AVer SKU: PTLINKPRE

PTZ Control Panel

Use iPad or iPhone to Control AVer PTZ Cameras Through the Network

iOS® v9 or above, iPadOS® v11 or above


Control Common PTZ and Focus Functions Over Network

Enable and Disable Tracking

Instantly Find and Connect to AVer TR and PTZ Cameras

Save and Call Up to 256 Preset Points

Capture Camera Images and Save to The Album




PTZ Link

Easily Add Voice Tracking Functionality

Premium Version Available!

Windows & MAC


- Voice Tracking to Preset
- IP Based Control
- Multi-Camera Switching (Premium on Windows)
- USB Auto Switching
- Windows and Mac laptops and desktops



Combine AVer Pro AV cameras, PTZ Link software and select audio systems from these leading brands for voice tracking!



Compatible With



Specifications

Auto Tracking Cameras		PTZ Cameras		TR313V2: *4K can only support 30/29.97/27	
		TR211	TR315	TR335	TR313V2
Part Number		PATR211V3	PATR315V3/PTR315NV3	PATR335V3/PTR335NV3	PATR313V2
PTZ Camera	Effective Picture Elements	2 Megapixels	8 Megapixels	8 Megapixels	8 Megapixels
	Output Resolution	Up to Full HD 1080P at 60fps	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
	Optical Zoom	12X	12X	30X	12X
	HFOV (Wide)~(Tele)	70° ~ 6°	70° ~ 6°	62.3° ~ 2.5°	70° ~ 6°
Panoramic Camera	Effective Picture Elements	—	—	—	—
	Output Resolution	—	—	—	—
	HFOV	—	—	—	—
Camera	Pan/Tilt Rotation	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
	Pan/Tilt Speed	0.1°~100° / sec	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec
	Preset Speed	200° / Sec	200° / Sec	200° / Sec	200° / Sec
	Output Interface	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB
	USB Video Format	MJPEG	MJPEG	MJPEG	MJPEG, YUV
	UVC	UVC1.1	UVC1.1	UVC1.1	UVC1.1
	UAC	UAC1.0	UAC1.0	UAC1.0	UAC1.0
	Control Interface	RS232, RS-422, Ethernet	RS232, RS422, Ethernet	RS232, RS422, Ethernet	RS232, RS422, Ethernet
	Network Protocol	IPv6,IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv6, IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv6, IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv6, IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP
	Control Protocol	VISCA/PELCO-D (RS232/RS422/IP), CGI (IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
Auto Tracking Functions		Wide Area Tracking, Stage Tracking, Segment Tracking, Voice Tracking	Presenter, Zone, Hybrid, Gesture Control	Presenter, Zone, Hybrid, Gesture Control	People Tracking (half or full body), Zone Tracking, Hybrid Tracking, Voice Tracking, Gesture Control
Package Contents		Remote Control, 12V Power Adapter, Power Cable, Din8 to DP9 Cable, RS232 In/Out Cable, Ceiling Mount(x2), Guide	Remote Control, 12V Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Mount(x2), Guide	Remote Control, 12V Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Mount(x2), Guide	IR Remote Control, 12V/5A Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Quick Guide
Software		CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link
PoE+		PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)
NDI Protocol		No	No Yes on TR315N	No Yes on TR335N	Upgradable
SRT Protocol		No	No	No	Yes

TR323NV2	TR535N	TR615	PTZ310UV2
PTR323NV2	PAT535NV3	PATR615V1	PTZ310UV2
8 Megapixels	8 Megapixels	17.25 Megapixels	8 Megapixels
Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/1080i/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
21X	30X	19X	12X
65.1° ~ 2.34°	62.3° ~ 2.5°	69.5° ~ 3.5°	72.1° ~ 6.3°
—	—	—	—
—	—	—	—
—	—	—	—
Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
0.1° ~ 100°/Sec	0.1° ~ 100°/Sec	0.05° ~ 100°/Sec	0.1° ~ 100°/Sec
200° / Sec	200° / Sec	200° / Sec	200° / Sec
3G-SDI, HDMI x 2, IP, USB	3G-SDI, HDMI, IP, USB	12G-SDI x2, HDMI, IP, USB	3G-SDI, HDMI, IP, USB
MJPEG, YUY2	MJPEG	MJPEG, YUY2	MJPEG, YUY2
UVC1.1	UVC1.1	UVC1.1	UVC1.1
UAC1.0	UAC1.0	UAC1.0	UAC1.0
RS232, RS422, Ethernet	RS232, RS422, IP, USB	RS232, RS422, IP, USB	RS232, RS422, PELCO-P, IP
IPv6, IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTPS, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, HTTPS, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP, ONVIF	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP
VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422), CGI(IP), USB, ONVIF	VISCA (RS-232 / RS-422 / IP), PELCO-D & PELCO-P (RS-232 / RS-422), CGI (IP), USB, ONVIF	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
People Tracking (half or full body), Zone Tracking, Hybrid Tracking, Voice Tracking, Gesture Control	Presenter, Zone, Voice, Hybrid Tracking	Presenter, Zone, Voice, Hybrid Tracking	SmartFrame, SmartShoot(Zone Tracking), Voice Tracking
IR Remote Control, 12V/5A Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Quick Guide	Remote Control, 12V Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Mount(x2), Guide	Remote Control, RS-232 In/Out Cable, Din 8 To D-Sub 9 Cable, Power Adapter, Power Cord, Cable Fixing Plate, Ceiling Mount Brackets, Drilling Paper, Quick Start Guide	Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties
CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	Enterprise Management, Room Management, Cloud Management , PTZ Control Panel, PTZ Link, CaptureShare	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link
PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	PoE++(IEEE 802.3bt)	PoE+(IEEE 802.3at)
Yes	Yes	Yes	No
Yes	No	Yes	Yes

		PTZ330UV2	PTZ231
Part Number		PTZ330UV2	PTPTZ231W
PTZ Camera	Effective Picture Elements	8 Megapixels	2 Megapixels
	Output Resolution	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
	Optical Zoom	30X	30X
	HFOV (Wide)~(Tele)	62.3° ~ 2.5°	62.3° ~ 2.5°
Panoramic Camera	Effective Picture Elements	—	—
	Output Resolution	—	—
	HFOV	—	—
Camera	Pan/Tilt Rotation	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
	Pan/Tilt Speed	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec
	Preset Speed	200° / Sec	200° / Sec
	Output Interface	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB
	USB Video Format	MJPEG, YUY2	MJPEG, YUY2
	UVC	UVC1.1	UVC1.1
	UAC	UAC1.0	UAC1.0
	Control Interface	RS232, RS422, PELCO-P, IP	RS232, RS422, PELCO-P, IP
	Network Protocol	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP
	Control Protocol	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
Auto Tracking Functions	SmartFrame, SmartShoot(Zone Tracking), Voice Tracking	SmartFrame, SmartShoot(Zone Tracking), Voice Tracking	
Package Contents	Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties	Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties, HDMI Cable	
Software	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	
PoE+	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	
NDI Protocol	No	No	
SRT Protocol	Yes	Yes	

		PTZ211
		PTPTZ211W
		2 Megapixels
		Resolution: 1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
		12X
		62.3° ~ 2.5°
		—
		—
		—
		Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
		0.1° ~ 100°/Sec
		200° / Sec
		3G-SDI, HDMI, IP, USB
		MJPEG, YUY2
		UVC1.1
		UAC1.0
		RS232, RS422, PELCO-P, IP
		IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP
		VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
		SmartFrame, SmartShoot(Zone Tracking), Voice Tracking
		Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties, HDMI Cable
		CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link
		PoE+(IEEE 802.3at)
		No
		Yes



To learn more, visit pro.averusa.com

AVer Information Inc. Americas | averusa.com. 44061 Nobel Drive, Fremont, CA 94538 | Toll Free 1.877.528.7824

©2025 by AVer Information Inc. All rights reserved. All products and features are subject to change. All brand names and logos are trademarks of their respective companies.



Youtube: /averusa
Facebook: AVerProAV
Twitter: @AVerProAV
Linkedin: AVerUSA