

Product data sheet

Specifications



Rack PDU, Basic, Half Height, 200-208V, 30A, (14) C13, (2) C19

AP6002A

Overview

Lead time Usually in Stock

Main

Color Black

Product or Component Type PDU

PDU Type Basic

Cord length 10 ft (3.05 m)

Provided Equipment Installation guide
Safety guide

Complementary

Input Voltage 208 V

Height 32.80 in (83.3 cm)

Width 2.20 in (5.6 cm)

Output Voltage 200 V
208 V

Depth 1.85 in (4.7 cm)

Product Weight 6.13 lb(US) (2.78 kg)

Mounting Location Side

Mounting preference Lower

Input Plug Type NEMA L6-30P

Mounting Mode Not rack-mountable

Rack units 0U

Mounting position Vertical

Line Rated Current 24 A

Acceptable Input Voltage 200...240 V

Max line current 30 A

Input current limits 30 A

Load Capacity 5000 VA

Input Frequency 50/60 Hz

Outlet type and quantity 14 IEC 60320 C13
2 IEC 60320 C19

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Environment

Product Certifications	cUL Listed UL Listed
Ambient air temperature for operation	32...122 °F (0...50 °C)
Relative Humidity	5...95 %
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	5...149 °F (-15...65 °C)
Storage Relative Humidity	5...95 %
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)

Ordering and shipping details

GTIN	731304327639
-------------	--------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	38.03 in (96.6 cm)
Package 1 Width	5.39 in (13.7 cm)
Package 1 Length	6.14 in (15.6 cm)
Package 1 Weight	7.14 lb(US) (3.24 kg)
SCC14	10731304327636

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 69

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number 1cdb2fed-a06f-4574-913d-8df8e70936b2

REACH Regulation [REACH Declaration](#)

Halogen content performance Product contains halogen above thresholds

Energy efficiency

Optimized Energy Efficiency Energy efficient product

Use Again

Repack and remanufacture

Circularity Profile [End of Life Information](#)

Take-back Yes

Image of product / Alternate images

Alternative

