

# Product data sheet

Specifications



## APC Replacement Battery Cartridge for Smart-UPS Line Interactive, 24V 9Ah lead-acid battery, 2-year repair or replace warranty

APCRBC133

Product availability: Stock - Normally stocked in distribution facility

### Overview

Lead time Usually in Stock

### Main

Product or Component Type Replacement battery cartridge

Number of cables 1

Battery Type Lead-Acid battery

Provided Equipment  
All required connectors  
Battery recycling guide  
Metallic battery tray or enclosure  
Reusable packaging  
Installation guide

Range of Product Replacement Battery Cartridges

### Batteries & Runtime

Battery Slots Empty 0

Included Battery Modules 0

Device mounting Enclosed battery cartridge

RBC Quantity 1

### Physical

Color Black

Height 3.27 in (8.3 cm)

Width 8.50 in (21.6 cm)

Depth 13.50 in (34.3 cm)

Product Weight 26.37 lb(US) (11.96 kg)

Mounting Mode Not rack-mountable

USB compatible No

### Environmental

Ambient air temperature for operation 32...104 °F (0...40 °C)

Operating altitude 0...10000 ft

Relative Humidity 0...95 %

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Ambient Air Temperature for Storage</b>	5...113 °F (-15...45 °C)
<b>Storage altitude</b>	0...50000 ft (0.0000000000...15240.0000000000 m)
<b>Storage Relative Humidity</b>	0...95 %

## Ordering and shipping details

<b>Category</b>	11309-APC RESALE PRODUCTS
<b>Discount Schedule</b>	APC1
<b>GTIN</b>	731304291282
<b>Returnability</b>	No

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	6.89 in (17.500 cm)
<b>Package 1 Width</b>	14.76 in (37.500 cm)
<b>Package 1 Length</b>	19.69 in (50.000 cm)
<b>Package 1 Weight</b>	27.955 lb(US) (12.680 kg)
<b>Unit Type of Package 2</b>	P12
<b>Number of Units in Package 2</b>	4
<b>Package 2 Height</b>	17.72 in (45.000 cm)
<b>Package 2 Width</b>	31.50 in (80.000 cm)
<b>Package 2 Length</b>	47.24 in (120.000 cm)
<b>Package 2 Weight</b>	144.006 lb(US) (65.320 kg)

## Contractual warranty

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 41

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation [REACH Declaration](#)

California proposition 65 **WARNING:** This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Use Again

### Repack and remanufacture

Circularity Profile [End of Life Information](#)

Take-back Yes

Image of product / Alternate images

Alternative

---

