

Specifications

Photo is representative

Eaton EMPDT1H1C2

Environmental Monitoring Probe gen 2

General specifications

PRODUCT NAME	Eaton UPS environmental monitoring probe
CATALOG NUMBER	EMPDT1H1C2
UPC	743172091604
PRODUCT LENGTH/DEPTH	27 mm
PRODUCT HEIGHT	15.5 mm
PRODUCT WIDTH	107.3 mm
PRODUCT WEIGHT	0.09 kg
COMPLIANCES	CE Marked
CERTIFICATIONS	CE



Powering Business Worldwide

Product specifications

SPECIAL FEATURES

The optional Eaton Environmental Monitoring Probe (EMP) Gen 2 is a connectivity device that enables you to collect temperature and humidity readings in rack enclosures and monitor environmental data remotely using Eaton's power-monitoring solutions or a standard web browser. Each EMP provides one temperature, one humidity and two dry-contact status data points. Compatible with UPSs and PDUs, the EMP Gen 2 features a translucent case and integrated LED to positively identify the status of each sensor at a glance while walking the aisles.

TYPE	Environmental monitoring device
CONNECTION	Wired + Dry contacts
OPERATING HUMIDITY - MAX	90 %
OPERATING TEMPERATURE - MAX	70 °C
OPERATING TEMPERATURE - MIN	0 °C
TYPE OF DETECTOR	Temperature/Humidity
TYPE OF ACCESSORY/SPARE PART	Other
OPERATING HUMIDITY - MIN	10 %
ACCESSORY	Yes

Resources

BROCHURES

[Intelligent Power Manager Editions](#)

[Eaton UPSs Network Connectivity Cards Brochure - EN](#)

[Eaton UPS network connectivity compatibility](#)

MANUALS AND USER GUIDES

[Eaton ePDU G3 - Environmental Monitoring Probe \(EMP\) Installation and Connection Quick Start](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

