

Product data sheet

Specifications



APC IT Power Distribution Module 3x1 Pole 3 Wire 20A 240V IEC309 260cm 380cm 500cm

PDM1320IEC-3P-1

Overview

Presentation	Factory assembled and tested Power Distribution Modules include circuit breaker, power cord, power connection, and circuit monitoring. Auto-detection of modules by the Modular PDU minimizes installation time.
Lead time	Usually Ships within 4 Weeks

Main

Main Input Voltage	240 V
Main Output Voltage	240 V
Provided Equipment	Installation guide

Physical

Color	Gray
Height	6.0 in (15.2 cm)
Width	17.008 in (43.2 cm)
Depth	16.5 in (41.9 cm)
Net Weight	8.14 lb(US) (3.69 kg)

Input

Input Frequency	60 Hz
Max line current	20 A

Output

Maximum Total Current Draw per Phase	20 A
Number of power socket outlets	3 IEC 309 20 A

Conformance

Product Certifications	UL Listed
-------------------------------	-----------

Ordering and shipping details

GTIN	731304268178
-------------	--------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Height	6.0 in (15.2 cm)
Package 1 Width	16.5 in (41.9 cm)
Package 1 Length	17.008 in (43.2 cm)
Package 1 Weight	10.1 lb(US) (4.6 kg)

Contractual warranty

Warranty	1 year repair or replace
-----------------	--------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)





Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Well-being performance

 Mercury Free

 Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)
