Product data sheet

Specifications



Galaxy VS 7Ah Smart Modular Battery String

GVSBT4

Overview

Presentation	One battery string for the Galaxy VS UPS. This string contains 7 Ah batteries.
Lead time	Usually Ships within 2 Weeks

Main

Product or Component Type	Battery module
Range Compatibility	Galaxy VS
Battery Type	VRLA
Range of Product	Galaxy VS

Batteries & Runtime

Device mounting	Enclosed battery cabinet
Battery Voltage	120 V

Physical

Height	6.2 in (15.7 cm)
Width	16.9 in (42.8 cm)
Depth	29.9 in (76 cm)
Net Weight	238.10 lb(US) (108 kg)

Ordering and shipping details

GTIN	731304367420

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.09 in (18 cm)
Package 1 Width	32.3 in (82 cm)
Package 1 Length	22.05 in (56 cm)
Package 1 Weight	246.9 lb(US) (112 kg)

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Learn more about Green Premium >


Energy Efficient


Take-back


Transparency


RoHS/REACh

Resource performance

- Energy Efficient Product
- Take-Back Program Available

Well-being performance

- Mercury Free
- Rohs Exemption Information — Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Image of product / Alternate images

Alternative

