

# Product data sheet

Specifications



## APC NetShelter Soundproof, 38U, Server Rack Enclosure, 120V, Maple [TAA]

AR4038LA

### Overview

Lead time Usually Ships within 2 Weeks

### Main

Product or Component Type	Rack enclosure
Main Input Voltage	100...120 V
Input Connection Type	NEMA 5-15P
output connection type	10 NEMA 5-15R
Number of rack unit	38U
Cable length	11.98 ft (3.65 m)
Number of cables	1
Provided equipment	Casters

### Physical

Height	76.4 in (1940 mm)
Width	29.5 in (750 mm)
Depth	44.5 in (1130.4 mm)
Product Weight	571.0 lb(US) (259 kg)
Color	Maple
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Mounting position	Horizontal
Maximum Mounting Depth	2.72 ft (0.83 m)
minimum mounting depth	2.26 ft (0.69 m)
Rack Width	19"
Permanent permissible load	3306.9 lb(US) (1500 kg) static 1653.5 lb(US) (750 kg) dynamic

### Input

Input Frequency 50/60 Hz

### Output

PDU Type Basic

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Conformance

---

Standards EIA-310D

## Ordering and shipping details

---

GTIN 731304621799

## Packing Units

---

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 80.75 in (205.1 cm)

Package 1 Width 32.28 in (82 cm)

Package 1 Length 47.24 in (120 cm)

Package 1 Weight 668.001 lb(US) (303 kg)

## Compliance

---

Compliance TAA

## Contractual warranty

---

Warranty 2 Years

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	919
--	-----

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Not applicable, out of EU RoHS legal scope

## Use Again

### Repack and remanufacture

Circularity Profile	<a href="#">End of Life Information</a>
Take-back	No

Image of product / Alternate images

Alternative

---







