Specifications

Eaton TPC4100-D



Catalog Number: TPC4100-D

Eaton Basic ePDU, 1U - TPC4100-D

General specifications

Product Name	**Catalog Number**
Eaton basic PDU	TPC4100-D
UPC	**Product Length/Depth**
786685289137	19 in
Product Height	**Product Width**
1.7 in	9.5 in
Product Weight	**Warranty**
21 lb	3 year
Compliances	**Certifications**
TAA Compliant	UL Listed

Powering Business Worldwide

Product specifications

Form factor

1U

Outlet control

No

Frequency rating

50-60 Hz

Resources

Application notes

WUSD: Straight A's for K-12 virtualized environment

Application guide: Small data center power protection solutions

Eaton network closet solutions brochure

Eaton maintenance bypass application note

Brochures

Eaton Flex and Hotswap MBP ePDU brochure

Eaton ePDUs for office environments

Eaton ePDU G3 brochure

Eaton ePDU G3 one-page overview

Case studies

Shawnigan Lake School: Boarding school protected by Eaton

LACCD: Eaton solution proves knowledge is power for college district

Certification reports

Eaton RoHS declaration of conformity: ePDU G3

Drawings

Eaton Basic ePDU visio stencils

TPC4100-D Technical Drawing

Installation instructions

Eaton ePDU G3 troubleshooting guide

Manuals and user guides

Eaton ePDU G3 operations manual

Eaton ePDU G3 replace and configure eNMC module

Eaton ePDU G3 installation and connectivity quick start

Eaton ePDU G3 1U and 2U installation addendum

Specifications and datasheets

Product Data Sheet - TPC4100-D

White papers

Quick guide to power distribution

Optimizing rack power distribution



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia