

# Product data sheet

Specifications



## Rack PDU, Basic, Zero U, 11 kW, 230V, (36) C13 & (6) C19

AP7557NA

### Overview

Lead time Usually in Stock

### Main

Color	Black
Product or Component Type	PDU
PDU Type	Basic
Cord length	3 ft (0.9 m)
Provided Equipment	Installation guide Rack Mounting brackets Toolless Mounting Kit User Manual

### Complementary

Input Voltage	400 V 3 phase
Height	70.00 in (177.8 cm)
Width	2.20 in (5.6 cm)
Output Voltage	230 V
Depth	1.73 in (4.4 cm)
Product Weight	12.39 lb(US) (5.62 kg)
Mounting Location	Side
Mounting preference	No preference
Input Plug Type	IEC 60309 20 A 3P+N+E
Mounting Mode	Rack-mounted
Rack units	0U
Mounting position	Vertical
Line Rated Current	16 A
Input current limits	20 A
Load Capacity	11500 VA
Input Frequency	50/60 Hz
Outlet type and quantity	36 IEC 60320 C13 6 IEC 60320 C19

### Environment

Product Certifications UL Listed

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Standards</b>	UL 60950-1
<b>Ambient air temperature for operation</b>	23...113 °F (-5...45 °C)
<b>Relative Humidity</b>	5...95 %
<b>Operating altitude</b>	0...10000 ft
<b>Ambient Air Temperature for Storage</b>	-13...149 °F (-25...65 °C)
<b>Storage Relative Humidity</b>	5...95 %
<b>Storage altitude</b>	0...50000 ft (0.0000000000...15240.0000000000 m)

## Ordering and shipping details

<b>GTIN</b>	731304263784
-------------	--------------

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	84.02 in (213.4 cm)
<b>Package 1 Width</b>	5.00 in (12.7 cm)
<b>Package 1 Length</b>	5.98 in (15.2 cm)
<b>Package 1 Weight</b>	20.7 lb(US) (9.4 kg)

## Contractual warranty

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

SCIP Number

1cdb2fed-a06f-4574-913d-8df8e70936b2

REACH Regulation

[REACH Declaration](#)

Halogen content performance

Product contains halogen above thresholds

### Energy efficiency

Optimized Energy Efficiency

Energy efficient product

## Use Again

### Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

Yes

WEEE

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.