

# Product data sheet

Specifications



## APC NetShelter SX, Server Rack Enclosure, 42U, without Sides, Black, 1991H x 600W x 1070D mm [TAA]

AR3100X609

### Overview

<b>Presentation</b>	Standard enclosure for low to medium density server and networking applications. Compact width to optimize data center space. 42U height to easily roll through doorways.
<b>Lead time</b>	Usually in Stock

### Main

<b>Product or Component Type</b>	Rack enclosure
<b>Number of rack unit</b>	42U
<b>Provided equipment</b>	Baying hardware Installation guide Key(s) Mounting Hardware Pre-installed casters

### Physical

<b>Height</b>	78.39 in (199.1 cm)
<b>Width</b>	23.62 in (60 cm)
<b>Depth</b>	42.13 in (107 cm)
<b>Product Weight</b>	204.04 lb(US) (92.55 kg)
<b>Color</b>	Black
<b>Mounting preference</b>	No preference
<b>Mounting Mode</b>	Not rack-mountable
<b>Maximum Mounting Depth</b>	36.02 in (91.49 cm)
<b>minimum mounting depth</b>	7.52 in (19.1 cm)
<b>Rack Width</b>	19"
<b>Marking</b>	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 18 gauge rear door 18 gauge roof
<b>Permanent permissible load</b>	2250 lb(US) (1020.6 kg) dynamic 3750 lb(US) (1701.0 kg) static

### Conformance

<b>Standards</b>	UL 2416 UL 60950-1 EIA-310E
------------------	-----------------------------------

### Ordering and shipping details

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

<b>GTIN</b>	731304294269
-------------	--------------

---

<b>Country of origin</b>	CN
--------------------------	----

## Packing Units

---

<b>Unit Type of Package 1</b>	PCE
-------------------------------	-----

---

<b>Number of Units in Package 1</b>	1
-------------------------------------	---

---

<b>Package 1 Height</b>	83.39 in (211.8 cm)
-------------------------	---------------------

---

<b>Package 1 Width</b>	47.99 in (121.9 cm)
------------------------	---------------------

---

<b>Package 1 Length</b>	29.61 in (75.2 cm)
-------------------------	--------------------

---

<b>Package 1 Weight</b>	246.9 lb(US) (112 kg)
-------------------------	-----------------------

## Compliance

---

<b>Compliance</b>	TAA BAA via COTS
-------------------	---------------------

## Contractual warranty

---

<b>Warranty</b>	5 year repair or replace
-----------------	--------------------------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	<a href="#">REACH Declaration</a>

### Use Again


 <b>Repack and remanufacture</b>	
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	Yes

Image of product / Alternate images

Alternative

---



