

W WM SERIES



Shown with optional accessories

FEATURES

- 19" EIA 310-E Compliant
- Horseshoe knockouts on the top and bottom of the enclosure allow already configured patch panels to be installed
- 2 pair of #12-24 rails, fully adjustable; includes rack mtg. hardware
- Solid Steel, Plexiglas, or Mesh Doors
- 1, 2, and 3" conduit and horseshoe knockouts on top and bottom of rear section; 1, 2, and 3" on rear section
- Full piano hinge provides added strength for rear section
- Dust Kit available to protect equipment in high dust/industrial areas
- Center swing-out section provides front/rear access to cables
- Reversible cabinet for left or right hand swing-out
- Vented sides for airflow
- Weight tested to 1/2" of deflection

WM SERIES

PART NO.	DESCRIPTION
GL2418WM	24"H x 21.25"W x 18"D, Usable depth 15.5", Maximum rail spacing 11.06", 12 RMU, Plexiglas door Weight capacity 150 lbs.*, Shipping wt. 85 lbs.
GL2418WMS	Same as GL2418WM except solid door
GL2418WMM	Same as GL2418WM except mesh door
GL24WM	24"H x 21.25"W x 24.5"D, Usable depth 22", Maximum rail spacing 17.62", 12 RMU, Plexiglas door Weight capacity 150 lbs.*, Shipping wt. 95 lbs.
GL24WMS	Same as GL24WM except solid door
GL24WMM	Same as GL24WM except mesh door
GL36WM	36"H x 21.25"W x 24.5"D, Usable depth 22", Maximum rail spacing 17.62", 19 RMU, Plexiglas door Weight capacity 250 lbs.*, Shipping wt. 125 lbs.
GL36WMS	Same as GL36WM except solid door
GL36WMM	Same as GL36WM except mesh door
GL48WM	48"H x 21.25"W x 24.5"D, Usable depth 22", Maximum rail spacing 17.62", 25 RMU, Plexiglas door Weight capacity 300 lbs.*, Shipping wt. 160 lbs.
GL48WMS	Same as GL48WM except solid door
GL48WMM	Same as GL48WM except mesh door

*All maximum weight capacities determined at minimal deflection.

ACCESSORIES (ADDITIONAL ACCESSORIES ON PAGE 100)

PART NO.	DESCRIPTION
WMPK	Wall Mount Pole Kit for mounting WM to indoor poles
7206-14	Stationary Shelf, 17.5"W x 14"D, 80 lb. weight capacity (for use with GL2418)
7206-EIA	Stationary Shelf, 17.468"W x 18"D, 80 lb. weight capacity
7206-FR-A18	Stationary Shelf (front/rear mount adjustable), 17.5"W x 18"D, 150 lb. weight capacity
7206-SL	Sliding Shelf, 16.343"W x 17.5"D, 40 lb. weight capacity
7217WS	Fan Assembly with Fan Guards and two 75 CFM fans
FFK1	Four Fan Filters
DK2	Dust Resistant Kit; includes 4 cover plates, 4 fan filters and hardware (not for use with GL2418)



Shown with optional accessories

FEATURES

- 19" EIA 310-E Compliant
- A feature-rich wall mount, offering many of the same options as a full-size enclosure
- 2 pair of #12-24 rails, fully adjustable; includes rack mtg. hardware
- Solid Steel, Plexiglas, or Mesh Doors
- 1, 2, 3, and 4" conduit knockouts on top and bottom of rear section; 1, 2, 3, and 4" on rear section
- Industrial grade hinges provide added strength for rear section
- Doors and sides fully gasketed
- Center swing-out section provides front/rear access to cables
- Solid and vented side panels available
- Weight tested to ½" of deflection

WS SERIES

PART NO.	DESCRIPTION
GL24WS-SS	24"H x 24"W x 24"D, 11 RMU, Weight capacity 250 lbs.*, Solid Front Door & Solid Sides, Shipping wt. 125 lbs.
GL24WS-SV	Same as GL24WS-SS except with Solid Front & Vented Sides
GL24WS-PS	Same as GL24WS-SS except with Plexi Front & Solid Sides
GL24WS-PV	Same as GL24WS-SS except with Plexi Front & Vented Sides
GL24WS-MS	Same as GL24WS-SS except with Mesh Front & Solid Sides
GL24WS-MV	Same as GL24WS-SS except with Mesh Front & Vented Sides
GL36WS-SS	36"H x 24"W x 24"D, 18 RMU, Weight capacity 300 lbs*., Solid Front Door & Solid Sides, Shipping wt. 150 lbs.
GL36WS-SV	Same as GL36WS-SS except with Solid Front & Vented Sides
GL36WS-PS	Same as GL36WS-SS except with Plexi Front & Solid Sides
GL36WS-PV	Same as GL36WS-SS except with Plexi Front & Vented Sides
GL36WS-MS	Same as GL36WS-SS except with Mesh Front & Solid Sides
GL36WS-MV	Same as GL36WS-SS except with Mesh Front & Vented Sides
GL48WS-SS	48"H x 24"W x 24"D, 25 RMU, Weight capacity 350 lbs.*, Solid Front Door & Solid Sides, Shipping wt. 200 lbs.
GL48WS-SV	Same as GL48WS-SS except with Solid Front & Vented Sides
GL48WS-PS	Same as GL48WS-SS except with Plexi Front & Solid Sides
GL48WS-PV	Same as GL48WS-SS except with Plexi Front & Vented Sides
GL48WS-MS	Same as GL48WS-SS except with Mesh Front & Solid Sides
GL48WS-MV	Same as GL48WS-SS except with Mesh Front & Vented Sides

*All maximum weight capacities determined at minimal deflection.

ACCESSORIES (ADDITIONAL ACCESSORIES ON PAGE 100)

PART NO.	DESCRIPTION
7206-FR-A18	Stationary Shelf (front/rear mount adjustable), 17.5"W x 18"D, 150 lb. weight capacity
7206-SL	Sliding Shelf, 16.343"W x 17.5"D, 40 lb. weight capacity
7217WS	Fan Assembly with Fan Guards and two 75 CFM fans
FFK1	Four Fan Filters
7208WS	One Set of 5 Casters, 2 locking and 3 non-locking

W WD SERIES



FEATURES

- 19" EIA 310-E Compliant
- 2 pair of #12-24 rails, fully adjustable; includes rack mtg. hardware
- The WD provides additional depth for larger pieces of equipment
- Solid Steel, Plexiglas, or Mesh Doors
- 1, 2, 3, and 4" conduit knockouts on top and bottom of rear section; 1, 2, 3, and 4" on rear section
- Pin hinges provide added strength for rear section
- Dust Kit available to protect equipment in high dust/industrial areas
- Weight tested to 1/2" of deflection

WD SERIES

PART NO.	DESCRIPTION
GL24WD	24"H x 24"W x 32.13"D, Usable depth 30", Maximum rail spacing 23", 11 RMU, Plexiglas door, Weight Capacity 250 lbs.*, Shipping wt. 125 lbs.
GL24WDS	Same as GL24WD except solid door
GL24WDM	Same as GL24WD except mesh door
GL36WD	36"H x 24"W x 32.13"D, Usable depth 30", Maximum rail spacing 23", 18 RMU, Plexiglas door, Weight Capacity 300 lbs.*, Shipping wt. 150 lbs.
GL36WDS	Same as GL36WD except solid door
GL36WDM	Same as GL36WD except mesh door
GL48WD	48"H x 24"W x 32.13"D, Usable depth 30", Maximum rail spacing 23", 25 RMU, Plexiglas door, Weight Capacity 350 lbs.*, Shipping wt. 200 lbs.
GL48WDS	Same as GL48WD except solid door
GL48WDM	Same as GL48WD except mesh door

*All maximum weight capacities determined at minimal deflection.


ACCESSORIES (ADDITIONAL ACCESSORIES ON PAGE 100)

PART NO.	DESCRIPTION
7219	6 position Power Strip for 19" mounting; 5-15R receptacle and 5-15P plug
7219-SR14	14 position (6 front/8 back) Power Strip for 19" mounting; 5-15R receptacle and 5-15P plug with surge protector
7206-EIA	Stationary Shelf, 17.468"W x 18"D, 80 lb. weight capacity
7206-FR-AHD	Stationary Shelf (front/rear mount adjustable) 17.5"W x 22.25"D, 200 lb. weight capacity
7206-SL	Sliding Shelf, 16.343"W x 17.5"D, 40 lb. weight capacity
7206-FRSL-AHD	Sliding Shelf (front/rear mount adjustable) 17.5"W x 22"D, 110 lb. weight capacity
CBB-19	Copper Bus Bar for 19" mounting (isolated)
HDW-102-50	Package of 50 Pan Head Phillips #10-32 x 1/2" screws
7217WS	Fan Assembly with fan guards and two 75 CFM fans
FFK1	Four Fan Filters
DK1	Dust Resistant Kit (includes 4 cover plates, 4 fan filters and hardware)
7208WD	One Set of 5 Casters, 2 locking and 3 non-locking

W WALL MOUNT ACCESSORIES



- | PART NO. | DESCRIPTION |
|----------|--|
| 7217WS | Fan Assembly with fan guards and two 75 CFM fans; for use with WS, WM, WD and WE Wall Mounts |
| 7217-04 | Fan Assembly with fan guard and one 75 CFM fan; for use with 15WM and DVR Lock Box |



- | PART NO. | DESCRIPTION |
|----------|--|
| WS-22 | 66/110 Block Mounting Panel for use with WS, WM, WD and WE Wall Mounts; panel is 19" rack mount and can be installed in any rack mount enclosure |




- | PART NO. | DESCRIPTION |
|----------|--|
| CBB-19 | Copper Bus Bar for 19" mounting |
| GR102 | Grounding Kit for use with WM, WS, WD and WE wall mounts |
- All Bus Bars are isolated.*



- | PART NO. | DESCRIPTION |
|----------|---|
| FFK1 | Set of four fan filters, for use with WS, WM and WD Wall Mounts |
| DK1 | Dust Resistant Kit (includes 4 cover plates, 4 fan filters and hardware); for use with WD Wall Mounts |
| DK2 | Dust Resistant Kit (includes 4 cover plates, 4 fan filters and hardware); for use with WM Wall Mounts |



- | PART NO. | DESCRIPTION |
|------------|--|
| BS2-CPUBKT | Weight Capacity 100 lbs., Shipping wt. 18 lbs. |



- | PART NO. | DESCRIPTION |
|----------|---|
| WMPK | Wall Mount Pole Kit to mount WM, N12K, SR and SRD wall mount products to indoor poles |