



Category 6 – KMJ Jacks

INSTALLATION ZONE RECOMMENDATION

ESSENTIAL	LIGHT DUTY	HEAVY DUTY	SEVERE DUTY
-----------	------------	------------	-------------

OCC's KMJ jacks offer printed circuit board technology that provides best-in-class Category 6 component performance. With standard 110-style terminations, OCC's Category 6 KMJ jacks are ETL verified to TIA 568-C.2 Category 6 specifications.

APPLICATIONS

- 1000BASE-T Gigabit Ethernet
- 100BASE-TX Fast Ethernet
- 10BASE-T Ethernet
- Broadband Video
- 270 Mbps digital video
- 155/622 Mbps ATM
- 100 Mbps TP-PMD
- 100 Mbps TP-PMD
- 4/16 Mbps Token Ring
- Voice
- All other applications developed for operation over Category 6 cabling

FEATURES

- Meets IEC 60603-7 requirements
- ETL Verified to TIA 568-C.2 Cat 6
- Category 6 component compliant
- 110-style IDC contacts exceed TIA 568-C.2 requirements
- Mounting flexibility
- Large easy to read color code labels
- Universal T568A/B wiring for easy installation
- Long term application confidence
- Compliant with Power over Ethernet (PoE) requirements
- Backward compatible, Cat 3, 5, and 5e compliant
- TERMA Grip conductor retention for easy wiring
- Fits all OCC Keystone faceplates and surface mount boxes
- Slimline design allows up to 48-ports in 1RU