

# Product data sheet

Specifications



## Wired, Sensor, NetBotz, Temperature, 13 ft

AP9335T

**Product availability: Stock - Normally stocked in distribution facility**

### Overview

<b>Presentation</b>	Universal sensor that monitors temperature in your Data Center or Network Closet.
<b>Lead time</b>	Usually in Stock

### Main

<b>Product or Component Type</b>	Temperature sensor
<b>Range of Product</b>	Netbotz
<b>Number of rack unit</b>	0U
<b>Range Compatibility</b>	Easy UPS 3M Advanced Easy UPS 3-Phase Modular
<b>Provided Equipment</b>	Installation guide Temperature Sensor

### Physical

<b>Color</b>	Black
<b>Height</b>	0.20 in (0.5 cm)
<b>Width</b>	0.20 in (0.5 cm)
<b>Depth</b>	0.20 in (0.5 cm)
<b>Product Weight</b>	0.31 lb(US) (0.14 kg)
<b>Mounting Location</b>	Front Rear
<b>Mounting preference</b>	No preference
<b>Mounting Mode</b>	Rack-mounted

### Environmental

<b>Ambient air temperature for operation</b>	32...131 °F (0...55 °C)
<b>Operating altitude</b>	0...10000 ft
<b>Relative Humidity</b>	0...95 %
<b>Ambient Air Temperature for Storage</b>	5...149 °F (-15...65 °C)
<b>Storage altitude</b>	0...50000 ft (0.0000000000...15240.0000000000 m)
<b>Storage Relative Humidity</b>	0...95 %

### Ordering and shipping details

<b>Category</b>	09305-INDUSTRIAL UPS
-----------------	----------------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Discount Schedule</b>	IUPS
<b>GTIN</b>	731304234012
<b>Returnability</b>	No

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	0.47 in (1.200 cm)
<b>Package 1 Width</b>	11.69 in (29.700 cm)
<b>Package 1 Length</b>	15.63 in (39.700 cm)
<b>Package 1 Weight</b>	8.007 oz (227.000 g)
<b>Unit Type of Package 2</b>	S02
<b>Number of Units in Package 2</b>	12
<b>Package 2 Height</b>	5.91 in (15.000 cm)
<b>Package 2 Width</b>	11.81 in (30.000 cm)
<b>Package 2 Length</b>	15.75 in (40.000 cm)
<b>Package 2 Weight</b>	6.579 lb(US) (2.984 kg)
<b>Unit Type of Package 3</b>	P12
<b>Number of Units in Package 3</b>	192
<b>Package 3 Height</b>	17.72 in (45.000 cm)
<b>Package 3 Width</b>	31.50 in (80.000 cm)
<b>Package 3 Length</b>	47.24 in (120.000 cm)
<b>Package 3 Weight</b>	131.713 lb(US) (59.744 kg)

## Contractual warranty

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	188
--	-----

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

<a href="#">EU RoHS Directive</a>	Compliant
-----------------------------------	-----------

REACH Regulation	<a href="#">REACH Declaration</a>
------------------	-----------------------------------

California proposition 65	<b>WARNING:</b> This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
---------------------------	---

## Use Again

### Repack and remanufacture

Circularity Profile	<a href="#">End of Life Information</a>
---------------------	---

Take-back	Yes
-----------	-----

WEEE	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
------	--