

Product data sheet

Specifications



APC Back-UPS Pro External Battery Pack

BR24BPG

Product availability: Stock - Normally stocked in distribution facility

Overview

Lead time Usually in Stock

Main

Main Input Voltage	120 V
Product or Component Type	Battery backup
Number of cables	1
Battery Type	Lead-Acid battery
Provided Equipment	User Manual
Range of Product	Back-UPS Pro

Batteries & Runtime

Device mounting	Stand alone battery stack
Battery life	4...6 year(s)
Battery Voltage	24 V
Battery Capacity	18 Ah
Included Battery Modules	2
Battery Slots Empty	0
RBC Quantity	1
battery power in VAh	372 VAh

Physical

Color	Black
Height	11.85 in (30.1 cm)
Width	4.41 in (11.2 cm)
Depth	15.04 in (38.2 cm)
Product Weight	29.5 lb(US) (13.4 kg)
USB compatible	No

Conformance

Product Certifications TÜV

Environmental

Relative Humidity 0...95 %

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Storage Relative Humidity	0...95 %
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
Ambient air temperature for operation	32...104 °F (0...40 °C)
Operating altitude	0...30000 ft
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)

Ordering and shipping details

Category	11309-APC RESALE PRODUCTS
Discount Schedule	APC1
GTIN	731304268789
Returnability	No

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.75 in (40.000 cm)
Package 1 Width	9.45 in (24.000 cm)
Package 1 Length	19.33 in (49.100 cm)
Package 1 Weight	32.119 lb(US) (14.569 kg)
Unit Type of Package 2	P06
Number of Units in Package 2	3
Package 2 Height	20.47 in (52.000 cm)
Package 2 Width	23.62 in (60.000 cm)
Package 2 Length	31.50 in (80.000 cm)
Package 2 Weight	111.790 lb(US) (50.707 kg)
SCC14	10731304268786

Contractual warranty

Warranty	3 years repair or replace
-----------------	---------------------------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) **67**

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant with Exemptions**

SCIP Number **1068e1eb-6a97-4f67-a95e-95f440cdd7dd**

REACH Regulation [REACH Declaration](#)

California proposition 65 **WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Again

Repack and remanufacture

Circularity Profile [End of Life Information](#)

Removable battery **User replaceable**

Take-back **Yes**

Image of product / Alternate images

Alternative

