

Product data sheet

Specifications



APC IT Power Distribution Module 2 Pole 3 Wire 30A L2-L3 L6-30 740CM

PDM2330L6-23-740

Overview

Presentation Factory assembled and tested Power Distribution Modules include circuit breaker, power cord, power connection, and circuit monitoring. Auto-detection of modules by the Modular PDU minimizes installation time.

Lead time Usually Ships within 3 Weeks

Main

Main Input Voltage 208 V

Main Output Voltage 208 V

Provided Equipment Installation guide

Physical

Color Black

Height 5.0000000000 in (12.7 cm)

Width 17.5 in (44.4 cm)

Depth 16.0 in (40.6 cm)

Net Weight 9.46 lb(US) (4.29 kg)

Input

Input Frequency 60 Hz

Max line current 30 A

Output

Maximum Total Current Draw per Phase 30 A

Number of power socket outlets 1 NEMA L6-30R

Conformance

Product Certifications UL Listed

Environmental

Ambient Air Temperature for Operation 32...86 °F (0...30 °C)

Relative Humidity 0...95 %

Operating altitude 0...10000 ft

Ambient Air Temperature for Storage 5...104 °F (-15...40 °C)

Storage Relative Humidity	0...95 %
---------------------------	----------

Storage altitude	0...15000 ft (0.0000000000...4572.0000000000 m)
------------------	---

Ordering and shipping details

GTIN	731304286110
------	--------------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	5.0000000000 in (12.7 cm)
------------------	---------------------------

Package 1 Width	16.0 in (40.6 cm)
-----------------	-------------------

Package 1 Length	17.5 in (44.4 cm)
------------------	-------------------

Package 1 Weight	11.5 lb(US) (5.2 kg)
------------------	----------------------

Contractual warranty

Warranty	1 year repair or replace
----------	--------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Take-back Transparency RoHS/REACH

Resource performance

Take-Back Program Available

Well-being performance

Mercury Free

Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)

Image of product / Alternate images

Alternative

