


Product data sheet

Specifications



APC Back-UPS Pro, 1500VA/865W, Tower, 120V, 10x NEMA 5-15R outlets, AVR, LCD, User Replaceable Battery

BR1500G

Overview

Lead time Usually in Stock

Main

Main Input Voltage	120 V
Main Output Voltage	120 V
Kw Rating	865 W
Rated power in VA	1500 VA
Product or Component Type	Uninterruptible power supply (UPS)
Input Connection Type	NEMA 5-15P
output connection type	5 NEMA 5-15R 5 NEMA 5-15R surge
Cable length	6 ft (1.8 m)
Battery Type	Lead-Acid battery
Range of Product	Back-UPS Pro

Batteries & Runtime

Run Time	View Runtime Graph
Efficiency	View Efficiency Graph
Included Battery Modules	1
Battery Slots Empty	0
Typical recharge time	8 h
RBC Quantity	1
Battery Voltage	24 V
Battery Capacity	9.0 Ah
Battery Charge Power (Watts)	23 W rated
Battery life	3...5 year(s)
Replacement battery	APCRBC124
Battery graph comments	This graph is based on actual measured runtime data. All measurements were taken with new, fully charged batteries and a balanced resistive load (PF = 1.0). Actual runtimes may vary from the values of this graph. Actual runtimes are dependent on several variables including battery age, battery charge level, environmental conditions and characteristics of the connected load.
Extendable Run Time	0

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

General

Provided equipment	User Manual USB cable
Number of power module free slots	0
Number of power module filled slots	0
Redundant	No

Physical

Height	11.85 in (30.1 cm)
Width	4.41 in (11.2 cm)
Depth	15.04 in (38.2 cm)
Product Weight	26.7 lb(US) (12.1 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Two post mountable	0
USB compatible	Yes

Input

Input Frequency	50/60 Hz +/- 3 Hz auto-sensing
Plug standard	NEMA 5-15P

Output

Max Configurable Power (Watts)	865 W
Output frequency	50/60 Hz +/- 3 Hz sync to mains
Topology	Line Interactive
Waveform Type	Stepped approximation to a sinewave
Maximum configurable power in VA	1500 VA
Transfer Time	8ms typical : 12ms maximum

Conformance

Product Certifications	NOM TÜV ENERGY STAR V2.0 (USA)
Equipment protection policy	Lifetime : \$150000

Environmental

Ambient air temperature for operation	32...104 °F (0...40 °C)
Relative Humidity	0...95 %
Operating altitude	0...3000 ft
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
Storage Relative Humidity	0...95 %
Storage altitude	0...5000 ft (0.0000000000...1524.0000000000 m)

Acoustic level	45 dBA
----------------	--------

Communications & Management

control panel	Multi-function LCD status and control console
---------------	---

Alarm	Alarm when on battery : distinctive low battery alarm : overload continuous tone alarm
-------	--

Surge Protection and Filtering

Surge energy rating	354 J
---------------------	-------

Filtering	Full time multi-pole noise filtering :5% of IEEE surge let-through : zero clamping response time: in
-----------	--

Let Through Voltage Rating	300 V
----------------------------	-------

Ordering and shipping details

Category	11309 - APC RESALE PRODUCTS
----------	-----------------------------

GTIN	731304268772
------	--------------

Returnability	No
---------------	----

Country of origin	PH
-------------------	----

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	15.24 in (38.7 cm)
------------------	--------------------

Package 1 Width	19.21 in (48.8 cm)
-----------------	--------------------

Package 1 Length	9.37 in (23.8 cm)
------------------	-------------------

Package 1 Weight	29.43 lb(US) (13.35 kg)
------------------	-------------------------

SCC14	10731304268779
-------	----------------

Contractual warranty

Warranty	3 years repair or replace
----------	---------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant with Exemptions

REACH Regulation

[REACH Declaration](#)

California proposition 65

WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Energy efficiency

Optimized Energy Efficiency

Energy efficient product

 ENERGY STAR®

ENERGY STAR UPS V2.0 (USA)

Use Again

Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Removable battery

User replaceable


Take-back

Yes

Offer Marketing Illustration

Product benefits / Features

Complete power protection for every day



APC Back-UPS Pro automatically corrects voltage levels to deliver clean, consistent power, 24/7

so your devices perform better, last longer and stay connected during power outages.

Offer Marketing Illustration

Product benefits / Features



Power goes out. You stay connected to what matters.

Enjoy uninterrupted internet connection for your entertainment, smart home and security devices.

Offer Marketing Illustration

Product benefits / Features

Peace of mind at home or office with PowerChute™ Serial Shutdown Software

UPS management, graceful shutdown, and energy management software for:



Desktops



Servers



Workstations



Offer Marketing Illustration

Product benefits / Features



Smaller and lighter than other Back-UPS models...
...to fit conveniently on the desk or under it.

Offer Marketing Illustration

Product benefits / Features



Offer Marketing Illustration

Product benefits / Features



Offer Marketing Illustration

Product benefits / Features



Robust battery to keep you on track

Reliable runtime allows you to continue critical activities when the power is out.

Offer Marketing Illustration

Product benefits / Features



The illustration features the Schneider Electric logo at the top left, followed by the APC logo. The main title is "APC Back-UPS Pro" in green, with the tagline "Reliable battery backup and surge protection to keep you connected" below it. A black APC UPS unit is shown on the right. At the bottom, five icons in green circles represent key features: a bar chart for power capacity, a lightning bolt for voltage regulation, a battery pack for extended runtime, a power outlet for NEMA outlets, and a battery icon for user-replaceable batteries.

Life Is On | Schneider Electric

APC

APC Back-UPS Pro

Reliable battery backup and surge protection to keep you connected

- 1500VA/865W
- Automatic Voltage Regulation
- Extended battery pack
- 10 NEMA 5-15R outlets
- User replaceable batteries

Image of product / Alternate images

Alternative

