

Product data sheet

Specifications



NetShelter SV 48U 600mm Wide x 1060mm Deep Enclosure with Sides Black

AR2407

Overview

Presentation Tall Universal IT enclosure with 48U spaces for environments that can take advantage of higher spaces and provide more mounting u-spaces at each enclosure footprint. Compact width to optimize data center space. For low to medium density server and networking applications.

Lead time Usually in Stock

Main

Product or Component Type Rack enclosure

Number of rack unit 48U

Provided equipment

- Baying hardware
- Doors
- Key(s)
- Keyed-alike doors and side panels
- Leveling feet
- Mounting Hardware
- Pre-installed casters
- 4 x Bolt down brackets
- Roof
- Side Panels
- Unpacking sheet

Physical

Height 91.50 in (232.4 cm)

Width 23.62 in (60 cm)

Depth 41.73 in (106 cm)

Product Weight 272.3 lb(US) (123.5 kg)

Color Black

Mounting preference No preference

Mounting Mode Not rack-mountable

Maximum Mounting Depth 30.60 in (77.72 cm)

minimum mounting depth 6.60 in (16.76 cm)

Rack Width 19"

Marking

- 14 gauge EIA mounting rail
- 16 gauge front door
- 18 gauge post
- 16 gauge rear door
- 19 gauge roof
- 18 gauge side panels

Permanent permissible load

- 1014 lb(US) (459.9 kg) dynamic
- 2205 lb(US) (1000.2 kg) static

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Conformance

Standards	UL 2416 UL 60950-1 EIA-310E
-----------	-----------------------------------

Ordering and shipping details

Category	11309 - APC RESALE PRODUCTS
----------	-----------------------------

GTIN	731304302063
------	--------------

Returnability	No
---------------	----

Country of origin	CN
-------------------	----

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	96.38 in (244.8 cm)
------------------	---------------------

Package 1 Width	27.56 in (70 cm)
-----------------	------------------

Package 1 Length	45.67 in (116 cm)
------------------	-------------------

Package 1 Weight	309.695 lb(US) (140.475 kg)
------------------	-----------------------------

Contractual warranty

Warranty	5 year repair or replace
----------	--------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	426
--	-----

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
-----------------------------------	--

REACH Regulation	REACH Declaration
------------------	-----------------------------------

Use Again

Repack and remanufacture

Circularity Profile	End of Life Information
---------------------	---

Take-back	Yes
-----------	-----

Image of product / Alternate images

Alternative















