

Product data sheet

Specifications



APC SYMMETRA LX 9 BATTERY TOWER XR FRAME, 230V

SYBFXR9I

Overview

Presentation	Extended run power protection for servers, networks, and telecommunications
Lead time	Usually Ships within 2 Weeks

Main

Product or Component Type	Battery accessory
Number of cables	1
Battery Type	Lead-Acid battery
Provided Equipment	Installation guide User Manual
Range of Product	Symmetra Battery Systems

Batteries & Runtime

Battery location	Battery Cabinet
Battery Slots Empty	9
Included Battery Modules	0
Battery manufacturer	Panasonic
Device mounting	Enclosed battery cabinet
Battery Voltage	120 V
RBC Quantity	9

Physical

Color	Black
Height	23.70 in (60.2 cm)
Width	19.02 in (48.3 cm)
Depth	28.58 in (72.6 cm)
Product Weight	192.40 lb(US) (87.27 kg)
Mounting Mode	Not rack-mountable

Conformance

Standards	EN 50091-1 EN 50091-2 EN 60950 IEC 60950
-----------	---

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Product Certifications	BSMI VCCI VDE
-------------------------------	---------------------

Environmental

Ambient air temperature for operation	32...104 °F (0...40 °C)
Operating altitude	0...10000 ft
Relative Humidity	0...95 %
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
Storage altitude	0...15000 ft (0.000000000...4572.000000000 m)
Storage Relative Humidity	0...95 %

Ordering and shipping details

GTIN	731304221715
-------------	--------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	35.98 in (91.4 cm)
Package 1 Width	39.25 in (99.7 cm)
Package 1 Length	23.58 in (59.9 cm)
Package 1 Weight	262.55 lb(US) (119.09 kg)

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 1

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation [REACH Declaration](#)

Energy efficiency

Optimized Energy Efficiency Energy efficient product

Use Again

Repack and remanufacture

Removable battery User replaceable

Take-back Yes

Image of product / Alternate images

Alternative



