


# EPOW-54-400

Hardened NEMA TS2 Power Supply 54V 400W



## Hardware Specifications

### + Power

Input  
100-277 VAC

Output  
54 VDC

Protection  
SVP/OVP (Over Voltage Protection)  
<305 VAC  
SCP (Short Circuit Protection)

### + Physical

Casing Material  
Aluminum

IP Rating  
IP67 (Dust Tight and Water-resistant)

Dimensions  
285 x 95 x 50mm (W x D x H)  
11.22" x 3.74" x 1.97"

Weight  
5.5lbs (2.5kg)

Installation Type  
Wall/panel mounting

### + Environmental

Operating Temp.  
-40 to 75°C (-40 to 167°F)

Storage Temp.  
-40 to 85°C (-40 to 185°F)

Relative Humidity  
10% to 95% (non-condensing)

Operation Humidity  
20-90%

Vibration Resistance  
10~500HZ, 2G 10min/cycle  
1hr each XYZ axes

### + Regulatory

Safety  
UL 62368-1

Standard  
EN 61347-1

EN 61347-2-13  
EN 62493

EMC Emission  
EN 55015  
EN 61000-3-2

EMC Immunity  
EN 55015  
EX 61000-4-2,3,4,5,6,8,11

## + Warranty

Length  
3 Years

Details  
[www.etherwan.com/support/warranty-policy](http://www.etherwan.com/support/warranty-policy)

