

Product data sheet

Specifications



NetShelter SV 48U 800mm Wide x 1200mm Deep Enclosure with Sides Black

AR2587

Overview

Presentation Wide, Deep and Tall Universal IT enclosure with increased enclosure width for more cable management options in denser server and networking applications. Includes integrated vertical 1U mounting spaces adjacent the enclosures standard EIA-310 equipment mounting u-spaces that can be removed and replaced with 1U accessories. Enclosures are deep to provide additional equipment clearance space or more open space for ease of access in the rear of the enclosure. 48U height for environments that can take advantage of higher spaces and provide more mounting u-spaces at each enclosure footprint.

Lead time Usually in Stock

Main

Product or Component Type Rack enclosure

Number of rack unit 48U

Provided equipment Baying hardware
Doors
Key(s)
Keyed-alike doors and side panels
Leveling feet
Mounting Hardware
Pre-installed casters
4 x Bolt down brackets
Roof
Side Panels
Unpacking sheet

Physical

Height 91.50 in (232.4 cm)

Width 31.50 in (80 cm)

Depth 47.24 in (120 cm)

Product Weight 336.9 lb(US) (152.8 kg)

Color Black

Mounting preference No preference

Mounting Mode Not rack-mountable

Maximum Mounting Depth 36.10 in (91.69 cm)

minimum mounting depth 6.60 in (16.76 cm)

Rack Width 19"

Marking 14 gauge EIA mounting rail
16 gauge front door
18 gauge post
16 gauge rear door
19 gauge roof
18 gauge side panels

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Permanent permissible load	1014 lb(US) (459.9 kg) dynamic 2205 lb(US) (1000.2 kg) static
-----------------------------------	--

Conformance

Standards	UL 2416 UL 60950-1 EIA-310E
------------------	-----------------------------------

Ordering and shipping details

Category	11309 - APC RESALE PRODUCTS
-----------------	-----------------------------

GTIN	731304302124
-------------	--------------

Returnability	No
----------------------	----

Country of origin	CN
--------------------------	----

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Number of Units in Package 1	1
-------------------------------------	---

Package 1 Height	96.38 in (244.8 cm)
-------------------------	---------------------

Package 1 Width	35.43 in (90 cm)
------------------------	------------------

Package 1 Length	51.18 in (130 cm)
-------------------------	-------------------

Package 1 Weight	385.659 lb(US) (174.932 kg)
-------------------------	-----------------------------

Contractual warranty

Warranty	5 year repair or replace
-----------------	--------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	531
--	-----

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
-----------------------------------	--

REACH Regulation	REACH Declaration
------------------	-----------------------------------

Use Again

Repack and remanufacture

Circularity Profile	End of Life Information
---------------------	---

Take-back	Yes
-----------	-----

Image of product / Alternate images

Alternative















